


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

LIMPOPO PRESTIGE BORAN AUCTION

Vleissentraal VEEKRAAL, Warmbad

18 October 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 03 October 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
- 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.

2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening may not sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.



- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.



LIMPOPO PRESTIGE BORAN AUCTION

Vleissentraal Veenkloof, Warmbad 18 October 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1

2

3

4


5

LOT 1 (M)



14

Breed Logo

GT SB 200201 PP(c)
 SUPERBULL'S SUPERSTAR SB 200201


9 (& 10)

SUPERBULL BREEDERS

8



Town, Province

078 737 2855

super_bull@webmail.com

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA Number	ABC001234

DNA ABC001234

G SB 140007
 SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SB 140010
 SUPERBULL SB 140010

 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weighed 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

12

G SB 110001
 SUPERBULL SB 11 0100

SB 110012 P
 SUPERBULL SB 110012

 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400

G SB 060004 Pch
 SUPERBULL SB 060004

 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

13

1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genetically tested

4 Animal Identification Number and Name

5 Polled Status

- Celtic: PP(c)/Pp(c) - polled,
HH(c) - horned
- Phenotypic: P/Pch - polled,
HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

QR Code

This code can be scanned with a smart device.
 It redirects to the animal's information on
www.SABeefBulls.com where additional
 information for the animal is available.



Myostatin

Q204X	Free
NT821	Carrier
F94L	Not Tested

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	121	130	89	112	84	101	112
87%	70%	83%	70%	81%	68%	59%	69%

10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27

Post-Wean Growth				Frame			Carcass	
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
125 72%	126 76%	129 80%	113 65%	104 81%	115 80%	149 77%	82 74%	119 73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page.

These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight 47kg	205D Weight 239kg 109 (19)	365D Weight 284kg 99 (10)	540D Weight 390kg 92 (10)	ADG Index 1680g/d 90 (13)	FCR Index 6.08 98	Scrotum 353mm (D1)	LH 1.20
10	12	19	20	21	22	23	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE	108
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE	105
CARCASS VALUE	110
PRODUCTION VALUE	103



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE	112
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE	108
CARCASS VALUE	109
PRODUCTION VALUE	109

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE	112
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE	108
CARCASS VALUE	109
PRODUCTION VALUE	109

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE	112
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE	108
CARCASS VALUE	109
PRODUCTION VALUE	109

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

	Traits	Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss	Orange	Yellow	Green	Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High	Yellow	Orange	Low	Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light	Yellow	Orange	Heavy	Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less	Yellow	Orange	More	More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High	Orange	Yellow	Low	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low	Yellow	Orange	High	High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss	Yellow	Orange	Profit	Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less	Yellow	Orange	More	More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss	Yellow	Orange	Profit	Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy	Yellow	Orange	Light	Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy	Yellow	Orange	Light	Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light	Yellow	Orange	Heavy	Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor	Yellow	Orange	Good	Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light	Yellow	Orange	Heavy	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low	Yellow	Orange	High	High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low	Yellow	Orange	High	High
Fertility	14 Heifer Fertility	Age at first calving	Fertile heifers	Less	Yellow	Orange	More	More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less	Yellow	Orange	More	More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less	Yellow	Orange	More	More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor	Yellow	Orange	Good	Good
Growth & Frame	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low	Yellow	Orange	High	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor	Yellow	Orange	Good	Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor	Yellow	Orange	Good	Good
	22 Final Test Weight	Final weight in the growth test	Heavy carcass	Light	Yellow	Orange	Heavy	Heavy
	23 Height	Shoulder / Hip height in growth test	Average height	Short	Yellow	Orange	Tall	Tall
	23 Length	Length in growth test	Longer for more muscle	Short	Yellow	Orange	Long	Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1	Yellow	Orange	>1	>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small	Yellow	Orange	Big	Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin	Yellow	Orange	Thick	Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low	Yellow	Orange	High	High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



MCS 220721
MAFRED MCS 220721



Herd Book	SP
Birth date	2022-07-15
Age	3y 3m
Inbreeding	4%
DNA	U17893U003

M.C. STEGMANN

Louis Trichardt, Limpopo
0834410930
marli@mafred.co.za

POSBUS 3814, LOUIS TRICHARDT, 0920

COW VALUE 82

93	Calving Ease Value
99	Calf Growth Value
107	Milk Value
92	Maintenance Value
85	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 112

PRODUCTION VALUE 88

SELLER REMARKS: 7 maande Dragtig van MCS 19-297/MCS 20-444



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 2 (F)



BD 220618
ZOUTPANSBERG BD 220618



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-BUS 25, LOUIS TRICHARDT, 0920

Last Calf	
Calf ID	BD 250003 (M)
Birth Date	2025-02-08
Sire ID	MULTIPLE Sires

Calvings: 25-02

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 85

98	Calving Ease Value
110	Calf Growth Value
95	Milk Value
86	Maintenance Value
85	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 93

PRODUCTION VALUE 86

SELLER REMARKS: Kelly, out of the well known Kelly motherline (MHB 04-24) 6 mths in calf to VST19-007

FN 120540 SP
FONTEINE FN120540
Wean Mat. 99

MCS 170066 HH SP
MAFRED MCS 170066
Wean Mat. 98

MCS 140145 SP
MAFRED MCS 140145
Wean Mat. 101

Age 4y | AFC 40m | ICP -
Calves 1 | Weighed - | Wean Mat. 101

Avg. WI - | CCB - | CCW -

FPL 130041 HH SP
BLOODLINE KALLIE
Wean Mat. 130

MCS 190278 SP
MAFRED MCS 190278
Wean Mat. 116

Age 6y | AFC 42m | ICP 448d

Calves 3 | Weighed - | Wean Mat. 116

Avg. WI - | CCB - | CCW -

Calvings: 22-07, 23-11, 24-12

FN 150129 SP
FONTEINE FN 150129
Wean Mat. 102

Age 6y | AFC 38m | ICP 463d

Calves 3 | Weighed - | Wean Mat. 102

Avg. WI - | CCB - | CCW -

FN 090392 HH SP
FONTEINE FN09392
Wean Mat. 99 | Weighed -

Age 16y | Avg. WI -

Calves 9 | Weighed -

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP
FONTEINE FN 04 23

Age 14y | Avg. WI -

Calves 4 | Weighed -

FN 060064 SP
FONTEINE FN0664

FN 100720 SP
FONTEINE FN 100720

Age 8y | Avg. WI -

Calves 5 | Weighed -

G HOT 070007 SP
HOTSPOT TANYA

Age 18y | Avg. WI 105

Calves 8 | Weighed 3

PM14R SP
LILAY PM14R

FN 090392 HH SP
FONTEINE FN09392

Age 16y | Avg. WI -

Calves 9 | Weighed -

KB32X SP
KETA KB X 32

TLM 030059 SP
KETA TLM 03 59

Age 14y | Avg. WI 109

Calves 8 | Weighed 5

TLM 050526 HH SP
KETA TLM 05 526 - KONING

DVB 050006 SP
DIAMANT-V 09 006

Age 6y | AFC 39m | ICP 467d

Calves 3 | Weighed 2 | Wean Mat. 122

Avg. WI 107 | CCB - | CCW 41.9

B 040039 SP
BORGEN B 04 39

Wean Mat. 68

BAR 160451 SP
BAR-CIRCLE MUTARA

Age 9y | AFC 35m | ICP 420d

Calves 6 | Weighed 2 | Wean Mat. 72

Avg. WI 99 | CCB - | CCW 42.4

Calvings: 18-12, 19-10, 20-11,

22-03, 23-07, 24-11

BAR 120107 SP
BAR-CIRCLE BAR-CIRCLE MUTARA

Age 11y | AFC 29m | ICP 425d

Calves 7 | Weighed - | Wean Mat. 80

Avg. WI - | CCB 6.7 | CCW -

KB32X SP
KETA KB X 32

MHB 040024 SP
MOLLS-HOOP KELLY

Age 13y | Avg. WI 100

Calves 8 | Weighed 3

N 070016 HH SP
EERSTEGLUK-BAAS N16 - ROY

MHB 040024 SP
MOLLS-HOOP KELLY

Age 13y | Avg. WI 100

Calves 8 | Weighed 3

LOGIX
EBV Analysis 2025-09-22

Calf and Mother

Fertility

Post-Wean Growth

Frame

Carcass

Birth Dir.

Birth Mat.

Wean Dir.

Wean Mat.

Scr. Circ.

Heifer Fert.

Cow Fert.

Longev.

Post Wean Growth

Frame

Carcass

Birth Dir.

Birth Mat.

Wean Dir.

Wean Mat.

Length

EMA

Fat

Mar

Post Wean Growth

Frame

Carcass

Post Wean Growth


Frame

C

LOT 3 (F)



MOS 200226
MODENE MOS 200226



Kuddeboek	SP
Geb. dtm	2020-11-07
Oud.	4j 11m
Inteling	2%
DNS	U3238U046
OEK	41m
Kalwers	2
Geweeg	1
Gem. SI	65
TKP	477d

BH 140169 HH SP
CIRCLE H PONCHO

Spn Mat. 68

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 150270 SP
CIRCLE H SHAKIRA

Oud. 9j | OEK 36m | TKP 390d
Kalwers 7 | Geweeg 4 | Spn. Mat. 73
Gem. SI 84 | KKG 7.18 | KKS 36.7

Kalwings: 18-11, 19-11, 20-11,
22-03, 23-03, 24-04, 25-04

EBV Analise 2025-09-22

KOEIWAARDE 85

101	Kalfgemak Waarde
84	Kalfgroeい Waarde
51	Melk Waarde
115	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 81

KARKAS WAARDE 81
PRODUKSIE WAARDE 79

TLM 050543 SP
KETA TLM050543

Spn Mat. 107

CI 070109 SP
CIRCLE C PANDORA

Oud. 17j | OEK 27m | TKP -
Kalwers 11 | Geweeg - | Spn. Mat. 75
Gem. SI - | KKG 7.74 | KKS -

CFH 060820 SP

ELANDSPRUIT KING COBRA

Spn Mat. 99

PRB 100019 SP
PEINKE PEINKE SHAKIRA

Oud. 14j | OEK 34m | TKP 414d
Kalwers 11 | Geweeg 1 | Spn. Mat. 79
Gem. SI 89 | KKG 7.99 | KKS 47.9

TLM 020001 SP
KETA TLM020001 - BUFFEL

GF46S D DH SP
GRASMERE GF 46 S
Oud. 14j | Gem. SI 99
Kalwers 7 | Geweeg 1

TLM 020001 SP
KETA TLM020001 - BUFFEL

GF177S D SP
GRASMERE GF 177S
Oud. 18j | Gem. SI 100
Kalwers 11 | Geweeg 3

PM14R SP
LILAYI PM14R

Z 950025 SP
HLANZENI Z 95 25
Oud. 17j | Gem. SI 104
Kalwers 6 | Geweeg 1

CF TLM 020006 SP
KETA TLM020006 - LOBASE

BA 050030 SP
BA SHAKIRA

Oud. 16j | Gem. SI 99
Kalwers 9 | Geweeg 2

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250550 (M)
Geb. datum	2025-08-08
Vaar ID	MOS 200081

Kalwings: 24-04, 25-08

Miosstatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 85	
101	Kalfgemak Waarde
84	Kalfgroeい Waarde
51	Melk Waarde
115	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 81
KARKAS WAARDE 81
PRODUKSIE WAARDE 79

VERKOPER OPMERKINGS: Cow with Motherlines like GF46S, GF177S, Z95 25 and BA 05 30 Shakira in the 3rd generation !
Bull calf MOS25-550 at foot sired by MOS 21 39 Daraja !

LOT 5 (F)



FBGO180045
GB BOSVELD SUIKERBEKKIE

GERBEN BORANE CC

Louis Trichardt, Limpopo
0842085319
gerrie@gerbenborane.co.za

POSBUS 1567, LOUIS TRICHARDT, 0920

Laaste Kalf	
Kalf ID	BG 250018 (F)
Geb. datum	2025-04-01
Vaar ID	BG 200087

Kalwings: 21-07, 22-07, 23-05, 24-05, 25-04

Miosstatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 113

105	Kalfgemak Waarde
95	Kalfgroeい Waarde
78	Melk Waarde
121	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 77

KARKAS WAARDE 80
PRODUKSIE WAARDE 102

EBV Analise 2025-09-22

11-0005KG SP

KG-BORAN MR KASURU (ET)

Spn Mat. 72

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EBV Analise 2025-09-22

EO 110259 HH SP

ELMECO EO11259

Spn Mat. 99

Oud. 14j | OEK 37m | TKP 422d
Kalwers 10 | Geweeg 6 | Spn. Mat. 83
Gem. SI 94 | KKG 6.09 | KKS 41.5

Kalwings: 14-10, 16-02, 17-01,
18-08, 19-11, 21-05, 22-05, 23-05,
24-04, 25-03

K6K3534 SP
MOGWONI K6K3534

Spn Mat. 62

KPO1185 SP
OL PEJETA 1185

Oud. 23j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG - | KKS -

TLM 050503 SP
KETA TLM 05 503

Spn Mat. 99

FN 070170 SP

FONTEINE FN07170

Oud. 13j | OEK - | TKP (donor)
Kalwers 5 | Geweeg - | Spn. Mat. 69
Gem. SI - | KKG - | KKS -

K6K1711 SP
MOGWONI K6K1711

2260
2260

Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

KPO786 SP
OL PEJETA 786

Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

KPO741 SP
OL PEJETA 741

Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

K6K2459 SP
MOGWONI K6K2459

KPO1680 SP

OL PEJETA 1680

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

CF TLM 010001 SP

KETA TLM010001 - NAPOLEON

Z 010121 SP

HLANZENI Z 01 121

Oud. 11j | Gem. SI -

Kalwers 5 | Geweeg -

Karkas

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	113	95	78	103	107	119	102
80%	76%	79%	74%	45%	61%	37%	62%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	86	88	81	84	83	93	91	91
70%	46%	31%	56%	47%	49%	45%	43%	42%

VERKOPER OPMERKINGS: Super Cow!! With our best Mustang BG 20-87 heifer calf BG25-18 at foot from BG20-87. If a cow can she can. 5,5 months in calf to BG 20-87 Mustang or BU 15-73 XENOX

LOT 6 (F)

WPB 170033
BOR WP KOPER

BORAN WP

Mokopane, Limpopo
0824956829
richard@orcinus.co.za

21A CANTERBURY DRIVE, PRIVATE
BAG X16, BISHOPSCOURT, 7806

Last Calf	
Calf ID	WPB 240050 (M)
Birth Date	2024-10-11
Sire ID	BWS 160084

Calvings: 21-04, 22-03, 22-12, 23-11, 24-10

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


COW VALUE 93

96	Calving Ease Value
100	Calf Growth Value
86	Milk Value
96	Maintenance Value
106	Fertility Value

GROWTH VALUE 96
CARCASS VALUE 94
PRODUCTION VALUE 92
LOT 7 (M)

NBOR210014
NTABA NYONI NBOR210014

P.S. BRITS

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560


COW VALUE 112




99	Calving Ease Value
109	Calf Growth Value
104	Milk Value
88	Maintenance Value
116	Fertility Value

GROWTH VALUE 117
CARCASS VALUE 121
PRODUCTION VALUE 116

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Son of Jameson, the full brother to Jumbo, Jester, Joker etc. His mother a direct daughter of the well known Rhamaposa Bull. Production Value 113, Fertility Value 115, Growth Value 116


MHB 040027 SP

MOLL'S-HOOP KHAN

Wean Mat. 87

WPB 110051 SP

BOR WP GENGHIS

Wean Mat. 84

CFH 060825 SP

ELANDSPRUIT CFH06825 - ANGELIN

Age 9y | AFC 31m | ICP 384d
Calves 5 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -

N 080027 SP

EERSTEGLUUK-BAAS NO827 - HANIBAL

Wean Mat. 88

RHK 110023 SP

KOTZE HORTON RACHAEL

Age 14y | AFC - | ICP 355d
Calves 11 | Weighed - | Wean Mat. 88
Avg. WI - | CCB 5.75 | CCW -

N 040009 SP

EERSTEGLUUK-BAAS N 04 09 - KOP

Age 8y | AFC 30m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -

KPO786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Age 34y | Avg. WI -

Calves - | Weighed -

HVT 000010 SP

OUTSPAN HVT000010

Z 000290 SP

HLANZENI Z 00 290

Age 18y | Avg. WI -

Calves 2 | Weighed -

TLM 020038 SP

KETA TLM020038

BA 040016 SP

BA BA 04 16

Age 11y | Avg. WI -

Calves 6 | Weighed -

KPO622 SP

OL PEJETA 622

K6K2228 SP

MOGWOOI 2228

Age 34y | Avg. WI -

Calves - | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	93	100	86	100	93	111	105
80%	76%	39%	41%	33%	60%	34%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	97	98	104	88	90	97	106	90
34%	32%	22%	34%	33%	33%	30%	29%	29%

MHB 040027 SP

MOLL'S-HOOP KHAN

Wean Mat. 87

WZ 140056 HH SP

WILZAK JAMESON

Wean Mat. 91

Parentage Sire Dam

DNA ✓ ✓

Genomic

HOT 100024 SP

HOTSPOT JASMINE

Age 15y | AFC 37m | ICP -
Calves 8 | Weighed - | Wean Mat. 117
Avg. WI - | CCB 5.03 | CCW -

B 040001 SP

BORGEN B 04001

Wean Mat. 123

NBOR060067 SP

NTABA NYONI 0667

Age 13y | AFC 26m | ICP 494d
Calves 6 | Weighed 1 | Wean Mat. 121
Avg. WI 95 | CCB - | CCW -

KPO786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Age 34y | Avg. WI -

Calves - | Weighed -

B 960615 SP

BORGEN B 96 615

Age 20y | Avg. WI -

Calves 8 | Weighed -

Z7F2773 SP

WORAGUS Z7F 2773

Age 33y | Avg. WI -

Calves - | Weighed -

2812 SP

GIANNI 2812

KPO999 SP

OL PEJETA 999

Age 27y | Avg. WI -

Calves 1 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	94	109	104	111	112	114	109
63%	57%	76%	57%	47%	52%	39%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	111	104	112	109	115	108	123	112
67%	44%	33%	41%	47%	46%	44%	42%	41%

LOT 8 (F)



**ALGANO
BORANE**

RENTROIA CC

Polkwane, Limpopo
0824431328
rentroiahelga@gmail.com

POSBUS 1025, FAUNA
PARK, POLOKWANE, 0787

Laaste Kalf	
Kalf ID	ALG 250042 (F)
Geb. datum	2025-06-07
Vaar ID	BH 180200

Kalwings: 25-06

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

ALG 220046

ALGANO GIZELLE

Kuddeboek	SP
Geb. dtm	2022-09-21
Oud.	3j 1m
Inteling	0%
DNS	U12361U005
OEK	33m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

W 150949 SP

MODEL W 150949

Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EO 110251 SP

ELMEOC EO11251

Oud. 13j | OEK 37m | TKP 450d
Kalwers 9 | Geweeg 3 | Spn. Mat. 95
Gem. SI 105 | KKG 6.23 | KKS 43.6

Kalwings: 14-09, 15-11, 16-11, 17-11,
18-11, 20-09, 21-10, 22-09, 24-08

HVT 970017 SP

OUTSPAN HVT970017

Z 060051 SP

HLANZENI Z0651 - MR MILLION

Spn Mat. 123

B 090031 SP

BORGEN B09031

Oud. 16j | OEK 32m | TKP -
Kalwers 14 | Geweeg - | Spn. Mat. 61
Gem. SI - | KKG 5.86 | KKS -

CI 090040 SP

CIRCLE C SABRINA

Oud. 11j | OEK - | TKP 323d
Kalwers 6 | Geweeg - | Spn. Mat. 104
Gem. SI - | KKG - | KKS -

KPO794 SP
OL PEJETA 794

K6K2386 SP
MOGWONI 2386

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

BIY943 SP
BIY943

KPO886 SP
OL PEJETA 886

Oud. 29j | Gem. SI -

Kalwers 1 | Geweeg -

6SEG096 SP
SEGERA 494

KPO303 SP
OL PEJETA KPO303

Oud. 33j | Gem. SI -

Kalwers 1 | Geweeg -

TLM 040507 DH SP
KETA TLM040507 - BUSTER

KB8A DH SP
KETA KB 8 A

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

KOEIWAARDE 109

106 Kalfgemak Waarde

106 Kalfgroei Waarde

84 Melk Waarde

96 Onderhoudswaarde

114 Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE 100

PRODUKSIE WAARDE 108

LOGIX
GENETICS GENOTYPE
EBV Analise 2025-09-22

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	93	106	84	91	108	112	110
76%	64%	77%	58%	38%	63%	36%	56%

Vrugbaarheid

Na-Speen	Groeи	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	105	99	103	104	104	99	94	133
58%	36%	26%	43%	39%	38%	35%	33%	33%

VERKOPER OPMERKINGS: Met verskalf ALG 25-42 van KENYA BH 18-200

LOT 9 (F)



AMATAVA BORANE

Polkwane, Limpopo
0832536558
amatava@mweb.co.za

POSBUS 2309, POLOKWANE, 0700

Laaste Kalf	
Kalf ID	ERA 250006 (M)
Geb. datum	2025-08-05
Vaar ID	ERA 190010

Kalwings: 25-08

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

ERA 220058

AMATAVA ERA220058

Kuddeboek	SP
Geb. dtm	2022-12-24
Oud.	2j 10m
Inteling	6%
DNS	U12348U002
OEK	31m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

OA 180020 SP

ANOT OA 180020

Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

OA 140033 SP

ANOT OA 140033

Oud. 10j | OEK 36m | TKP 474d
Kalwers 7 | Geweeg 3 | Spn. Mat. 98
Gem. SI 95 | KKG 6.79 | KKS 47.3

Kalwings: 17-12, 19-01, 20-05,
21-10, 22-12, 24-02, 25-09

TLM 050543 SP

KETA TLM050543

Spn Mat. 107

OA 130032 SP

ANOT OA 130032

Oud. 12j | OEK 25m | TKP 363d
Kalwers 10 | Geweeg 3 | Spn. Mat. 95
Gem. SI 100 | KKG 7.05 | KKS 43.1

OA 100002 SP

ANOT RADINAKA

Spn Mat. 111

PJM 070079 SP

HEELTEVREDE PJM0779

Oud. 11j | OEK 35m | TKP 364d
Kalwers 9 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -

TLM 020001 SP
KETA TLM020001 - BUFFEL

GF46S D DH SP

GRASMERE GF 46 S

Oud. 14j | Gem. SI 99

Kalwers 7 | Geweeg 1

OA 100027 SP
ANOT OA100027

OA 100045 SP
ANOT OA100045

Oud. 14j | Gem. SI -

Kalwers 4 | Geweeg -

TLM 050543 SP
KETA TLM050543

NAB 060010 SP

UPPER ELLERSIE SNOW WHITE

Oud. 6j | Gem. SI -

Kalwers 3 | Geweeg -

TLM 030021 SP
KETA TLM030021

TLM 050024 SP
KETA TLM050024

Oud. 15j | Gem. SI -

Kalwers 7 | Geweeg -

KOEIWAARDE 105

132 Kalfgemak Waarde

96 Kalfgroei Waarde

98 Melk Waarde

94 Onderhoudswaarde

93 Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 106

PRODUKSIE WAARDE 101

LOGIX
GENETICS GENOTYPE
EBV Analise 2025-09-22

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
125	117	96	98	102	96	93	96
75%	58%	34%	36%	25%	42%	27%	47%

Vrugbaarheid

Na-Speen	Groeи	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	106	108	104	97	107	111	105	110
26%	23%	15%	28%	25%	25%	21%	20%	19%

VERKOPER OPMERKINGS: Fertility and Milk. 1st calf Heifer ERA25-06 from ERA19-10, Medium Frame, Broad and Feminine. First calf 2 years and 7 months. Buffel and Madot in the DNA. Calf sired by Jumbo ERA 19-10



LIMPOPO PRESTIGE BORAN AUCTION
Vleissentraal Vryheid, Warmbad 18 October 2025



LOT 10 (F)



MCS 220720
MAFRED MCS 220720



Herd Book	SP
Birth date	2022-07-15
Age	3y 3m
Inbreeding	9%
DNA	U17893U002
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

GT MCS 170066 HH SP

MAFRED MCS 170066

Wean Mat. 98

Parentage Sire Dam

DNA	✓	✓
Genomic		

FN 120540 SP

FONTEINE FN120540

Wean Mat. 99

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Age 14y | Avg. WI -

Calves 4 | Weighed -

FN 060064 SP

FONTEINE FN0664

FN 100720 SP

FONTEINE FN 100720

Age 8y | Avg. WI -

Calves 5 | Weighed -

2812 SP

GIANNI 2812

PB/9831 SP

DELAMERE 304

Age 32y | Avg. WI -

Calves - | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

FN 060053 SP

FONTEINE FN0653

Age 17y | Avg. WI 109

Calves 12 | Weighed 2

GT MCS 140145 SP

MAFRED MCS 140145

Wean Mat. 111

FN 060064 SP

FONTEINE FN0664

Wean Mat. 111

FN 150066 SP

FONTEINE FN 15 66

Age 10y | AFC 27m | ICP 410d

Calves 7 | Weighed - | Wean Mat. 101

Avg. WI - | CCB - | CCW -

Calvings: 18-01, 19-06, 20-06,

21-06, 22-07, 23-08, 24-09

FN 080291 SP

FONTEINE FN08291

Wean Mat. 111

FN 100066 SP

FONTEINE FN10066

Wean Mat. 111

FN 100066 SP

FONTEINE FN10066

Wean Mat. 111

M.C. STEGMANN

Louis Trichardt, Limpopo
0834410930
marli@mafred.co.za

POSBUS 3814, LOUIS TRICHARDT, 0920

Last Calf

Calf ID	MCS 250099 (M)
Birth Date	2025-07-27
Sire ID	MULTIPLE SIRES

Calvings: 25-07

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 96

92	Calving Ease Value
97	Calf Growth Value
99	Milk Value
107	Maintenance Value
100	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 97

PRODUCTION VALUE 96

CALI220097
CARALANI CALI220097



Herd Book	SP
Birth date	2022-09-22
Age	3y 1m
Inbreeding	2%

DNA U24259U006

GT GUJ 140002 SP

BARON GUJ 140002

Wean Mat. 81

GT DVB 080022 SP

GUJ 100001 SP

BARON BARON

Wean Mat. 91

CFH 060447 SP

ELANDSPRUIT 06 447

Wean Mat. 81

GT DVB 120068 SP

DIAMANT-V DVB1268

GUJ 100001 SP

BARON BARON

Wean Mat. 91

Age 8y | AFC 26m | ICP 408d

Calves 5 | Weighed - | Wean Mat. 82

Avg. WI - | CCB - | CCW -

GT DVB 090032 SP

DIAMANT-V 08 22

Wean Mat. 85

Age 14y | AFC 38m | ICP 469d

Calves 9 | Weighed - | Wean Mat. 95

Avg. WI - | CCB 6.59 | CCW -

GT DVB 040003 SP

DIAMANT-V 0403

Wean Mat. 85

Age 14y | AFC 38m | ICP 469d

Calves 9 | Weighed - | Wean Mat. 95

Avg. WI - | CCB 6.59 | CCW -

GT DVB 050006 SP

DIAMANT-V DVB 05 06

Age 17y | Avg. WI 108

Calves 10 | Weighed 5

CARALANI

Polokwane, Limpopo
0828525968
callie@laeveld.co.za

POSTNET SUITE 111, PRIVAAT
SAK X9676, POLOKWANE, 0699

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 92

126	Calving Ease Value
89	Calf Growth Value
77	Milk Value
99	Maintenance Value
95	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 95

PRODUCTION VALUE 93

SELLER REMARKS: Goed gebalanseerde vers/Goeie Vroulike Eienskappe. 5 maande Dragtig van FN 19-151 (Bont)

GT LOGIX

EBV Analysis 2025-09-22

GT LOGIX

Calf and Mother

Fertility

Birth Dir.

Heifer Fert.

Birth Mat.

Cow Fert.

Wean Dir.

Longev.

Wean Mat.

Scr. Circ.

Post-Wean Growth

ADG

Frame

FCR

Carcass

Mature Weight

Post

Height

Wear

Length

Wear

EMA

Wear

Fat

Wear

Mar

Wear

29%

22%

31%

22%

31%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

22%

23%

LOT 12 (M)



BMK 200051 HH

MEINTJESKROON BMK 200051



Kuddeboek	SP
Geb. dtm	2020-11-28
Oud.	4j 11m
Inteling	0%
DNS	U4471U019

SAVANNA BORAN

Brits, North West
0827830720
meintjeskr@gmail.com

POSBUS 1163, BRITS, 0250

GEBRUIK IN KUDDE (50)



Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 110

87	Kalfgemak Waarde
115	Kalfgroei Waarde
111	Melk Waarde
99	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 122

119	KARKAS WAARDE
116	PRODUKSIE WAARDE

VERKOPER OPMERKINGS: Dra baie vleis, uitstekende syfers, goed gebalanseer met sterk pote. Uit een van Savanna se fondasie koeie CFH 080148. Teel wit, mottle, bont en rooi. Skrotum omtrek 41cm.

LOT 13 (F)



JH 220018

MARONES JH220018



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-BUS 1168, ELLISRAS, 0555

Laaste Kalf	
Kalf ID	JH 250056 (F)
Geb. datum	2025-09-06
Vaar ID	MULTIPLE SIRES

Kalwings: 25-09

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 15 (M)



G

ERA 190010 HH

AMATAVA JUMBO



AMATAVA BORANE

Polokwane, Limpopo
0832536558
amatava@mweb.co.za

POSBUS 2309, POLOKWANE, 0700

USED IN HERD (12)



Myostatin

Q204X	Free
NT821	Free
F94L	Free

COW VALUE 92

87	Calving Ease Value
119	Calf Growth Value
93	Milk Value
86	Maintenance Value
95	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 101

PRODUCTION VALUE 90

SELLER REMARKS: A superb, thick, broad, proven Stud Sire. With an ideal bone structure and presence. Dating back from Mogwooni K6K 2738

JH 130072 SP
MARONES JH130072

Wean Mat. 65

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	

G JH 100092 SP
MARONES JH100092

Age 15y | AFC 38m | ICP -
Calves 7 | Weighed 4 | Wean Mat. 113
Avg. WI 101 | CCB 5.97 | CCW 43.5

Calvings: 13-12, 15-06, 16-11, 17-12,
19-09, 21-07, 23-02

G N 080018 HH SP
EERSTEGLUK-BAAS N0818

Wean Mat. 88

G N 040002 SP
EERSTEGLUK-BAAS N 04 02

Age 18y | AFC - | ICP -
Calves 12 | Weighed 8 | Wean Mat. 51
Avg. WI 86 | CCB - | CCW 33.9

B 040001 SP
BORGEN B 04001

Wean Mat. 123

TLM 030059 SP
KETA TLM 03 59

Age 14y | AFC 40m | ICP 469d
Calves 8 | Weighed 5 | Wean Mat. 124
Avg. WI 109 | CCB 6.36 | CCW 49.1

TLM 020038 SP
KETA TLM020038

BA 040016 SP
BA BA 04 16

Age 11y | Avg. WI -
Calves 6 | Weighed -

KPO622 SP
OL PEJETA 622

KIM39 SP
LOLOMARIK 39

Age 29y | Avg. WI -
Calves 1 | Weighed -

KPO1017 SP
OL PEJETA 1017

ZTF2773 SP
WORAGUS ZTF 2773

Age 33y | Avg. WI -
Calves - | Weighed -

G KPO694 SP
OL PEJETA KPO 694

K6K2762 SP
MOGWONI K6K2762

Age 34y | Avg. WI -
Calves - | Weighed -

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
81 90%	106 85%	119 84%	93 84%	100 83%	81 83%	99 81%	115 84%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115 82%	96 83%	99 81%	114 82%	98 83%	110 83%	111 82%	77 82%	103 82%

LOT 17 (F)



BD 220625

ZOUTPANSBERG BD 220625



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 25, LOUIS TRICHARDT, 0920

Last Calf	
Calf ID	BD 250004 (M)
Birth Date	2025-02-20
Sire ID	MULTIPLE SIRES

Calvings: 25-02

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 80

99	Calving Ease Value
96	Calf Growth Value
108	Milk Value
81	Maintenance Value

GROWTH VALUE 93

CARCASS VALUE 87

PRODUCTION VALUE 80

JH 120093 SP
MARONES JH120093

Wean Mat. 119

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

G JH 060004 SP
MARONES JH060004

Wean Mat. 122

DVB 090006 SP
DIAMANT-V 09 006

Age 6y | AFC 39m | ICP 467d
Calves 3 | Weighed 2 | Wean Mat. 122
Avg. WI 107 | CCB - | CCW 41.9

FN 100271 SP

FONTEINE FN 10 271 - CESAR II

Wean Mat. 83

RN 130290 SP

RANKIN BEEF RN 130290

Age 12y | AFC 36m | ICP 373d
Calves 9 | Weighed 5 | Wean Mat. 105
Avg. WI 99 | CCB - | CCW 45.2

KB32X SP
KETA KB 32

TLM 030059 SP

KETA TLM 03 59
Age 14y | Avg. WI 109
Calves 8 | Weighed 5

G TLM 050526 HH SP

KETA TLM 05 526 - KONING

DVB 050006 SP

DIAMANT-V DVB 05 06
Age 17y | Avg. WI 108
Calves 10 | Weighed 5

TLM 020004 SP

KETA TLM020004 CAESAR

FN 060047 SP

FONTEINE FN 060047
Age 18y | Avg. WI -
Calves 14 | Weighed -

G KB28W D SP

KETA KB 28 W

JH 090038 SP

MARONES JH090038
Age 7y | Avg. WI -
Calves 2 | Weighed -

LOGIX
EBV Analysis 2025-09-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90 73%	112 54%	96 73%	108 54%	115 48%	85 39%	92 27%	105 50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95 35%	91 44%	99 22%	120 38%	92 48%	80 47%	88 32%	90 30%	88 29%

SELLER REMARKS: Goeie melk teelwaarde en kom uit vrugbare moederlyn. Ouma TKP 373/9. 5 mnde dragtig van VST19-007.

LOT 18 (F)



WPB 150027

BOR WP LUCKY 9



BORAN WP

Mokopane, Limpopo
0824956829
richard@orcinus.co.za

21A CANTERBURY DRIVE, PRIVATE
BAG X16, BISHOPSCOURT, 7806

Laaste Kalf	
Kalf ID	WPB 240100 (M)
Geb. datum	2024-12-28
Vaar ID	WPB 200020
Kalwings:	18-01, 18-12, 19-11, 20-11, 21-10, 22-12, 23-12, 24-12



Miosstatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 106

112	Kalfgemak Waarde
98	Kalfgroei Waarde
76	Melk Waarde
105	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 85

KARKAS WAARDE 81
PRODUKSIE WAARDE 99


VERKOPER OPMERKINGS: LUCKY 9, SIRE: BRONSON N 04 07/ DAM: WPB 12-55 (KPO 622 x KPO 6385) a full sister to RJ WPB 12-053, Direct Embryo from Kenya. Great EBV's Fertility 110/Cow Value 106/ ICP 363/8. 4.5 months preg to WPB 19-57 (RJ x (TOP GASKET x TIM) Exellent EBV's, kalfgemak 112

LOT 19 (F)



MOS 220349

MOSDENE MOS220349



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250., NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250607 (F)
Geb. datum	2025-09-21
Vaar ID	MULTIPLE SIRES

Kalwings: 25-09



Miosstatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 104

99	Kalfgemak Waarde
89	Kalfgroei Waarde
96	Melk Waarde
113	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 94
PRODUKSIE WAARDE 101

VERKOPER OPMERKINGS: 9 maande dragtig van PRB 18-15 / E 20-49 / MOS 20-268

N 040007 SP EERSTEGLUK-BAAS N 04 07	Spn Mat. 77	KPO622 SP OL PEJETA 622	1607 1607
Overskap Vaar Moer		KIM39 SP LOLOMARIK 39	4566 4566
DNS ✓ ✓		Kalwers 1 Geweeg - Spn. Mat. 67	Oud. 43j Gem. SI - Kalwers - Geweeg -
Genomics		Gem. SI - KKG - KKS -	

WPB 120055 SP BOR WP WPB 120055 - LUCKY 9	Spn Mat. 77	KPO622 SP OL PEJETA 622	1607 1607
Oud. 6j OEK 28m TKP 618d		Kalwers 2 Geweeg - Spn. Mat. 91	4566 4566
Kalwers 1 Geweeg - Spn. Mat. 91		Gem. SI - KKG - KKS -	Oud. 43j Gem. SI - Kalwers - Geweeg -

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	115	98	76	81	94	122	97
81%	81%	53%	52%	46%	65%	48%	67%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	89	98	96	102	93	82	75	101
40%	44%	14%	42%	47%	46%	29%	27%	26%

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	85	89	96	83	111	112	93
74%	57%	78%	58%	30%	51%	33%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	101	100	89	95	95	97	109	118
42%	28%	16%	41%	30%	30%	25%	24%	23%

VERKOPER OPMERKINGS: 9 maande dragtig van PRB 18-15 / E 20-49 / MOS 20-268

LOT 20 (F)

**ALGANO
BORANE**
RENTROIA CC

Polokwane, Limpopo
0824431328
rentroiahelga@gmail.com

POSBUS 1025, FAUNA
PARK, POLOKWANE, 0787


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

ALG 230038
ALGANO ASHLY

Herd Book	SP
Birth date	2023-07-19
Age	2y 3m
Inbreeding	0%
DNA	U15677U006

	BH 180200 HH SP
CIRCLE H KENYA	
Wean Mat.	81
Parentage	Sire Dam
DNA	✓ ✓
Genomic	

	RN 140043 SP
RANKIN BEEF RN 140043	
Age 11y AFC 25m ICP 351d	
Calves 10 Weighed 3 Wean Mat. 91	
Avg. WI 100 CCB 5.94 CCW 43.5	

Calvings: 16-10, 17-09, 18-10,
19-10, 20-10, 21-09, 22-08, 23-07,
24-07, 25-06

Age 11y | AFC 25m | ICP 351d

Calves 10 | Weighed 3 | Wean Mat. 91

Avg. WI 100 | CCB 5.94 | CCW 43.5

Age 14y | AFC 36m | ICP 372d

Calves 11 | Weighed 3 | Wean Mat. 90

Avg. WI 94 | CCB 6.84 | CCW 50.5

	FN 090467 SP
FONTEINE FN 090467	

Wean Mat. 87

	EO 110279 SP
ELMECO EO110279	

Wean Mat. 87

K6K3178 SP

MOGWOO NI K6K3178

V7Y9301 SP

KISIMA 9301

Age 30y | Avg. WI -

Calves - | Weighed -

K6K3534 SP

MOGWOO NI K6K3534

J5C1401 SP

KAKUZI 1401

Age 26y | Avg. WI -

Calves - | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

FN 040010 SP

FONTEINE FN 0410

Age 16y | Avg. WI -

Calves 7 | Weighed -

TLM 050503 SP

KETA TLM 05 503

LW 080005 HH SP

NELLO JESSICA

Age 17y | Avg. WI 100

Calves 9 | Weighed 2

COW VALUE 117

131	Calving Ease Value
81	Calf Growth Value
84	Milk Value
105	Maintenance Value
124	Fertility Value

GROWTH VALUE 92
CARCASS VALUE 91
PRODUCTION VALUE 111

SELLER REMARKS: 4 maande Dragtig van PRADO, BH 20-83

LOT 21 (F)

MCS 220725
MAFRED MCS 220725

Herd Book	SP
Birth date	2022-07-27
Age	3y 3m
Inbreeding	4%
DNA	U17893U005
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MCS 170066 HH SP

MAFRED MCS 170066

Wean Mat. 98

Parentage Sire Dam

DNA	✓ ✓
Genomic	

FN 120540 SP

FONTEINE FNI120540

Wean Mat. 99

MCS 140145 SP

MAFRED MCS 140145

Wean Mat. 91

FN 100709 SP

FONTEINE FNI100709

Wean Mat. 91

FN 110005 SP

FONTEINE FN 110005

Wean Mat. 91

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 0423

Age 14y | Avg. WI -

Calves 4 | Weighed -

FN 060064 SP

FONTEINE FN0664

FN 100720 SP

FONTEINE FN 100720

Age 8y | Avg. WI -

Calves 5 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040010 SP

FONTEINE FN 0410

Age 16y | Avg. WI -

Calves 7 | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

FN 070124 SP

FONTEINE FN07124

Age 18y | Avg. WI 97

Calves 9 | Weighed 1

COW VALUE 79

94	Calving Ease Value
101	Calf Growth Value
95	Milk Value
93	Maintenance Value
83	Fertility Value

GROWTH VALUE 110
CARCASS VALUE 107
PRODUCTION VALUE 85

SELLER REMARKS: Met bulkalf MCS 25-93 van MCS19-297/MCS20-444

Calf and Mother
Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	98	81	84	92	120	116	116
37%	34%	55%	44%	26%	34%	23%	48%

Post-Wean Growth
Frame
Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	112	115	106	101	100	104	107	110
28%	28%	15%	27%	30%	29%	28%	26%	26%



LIMPOPO PRESTIGE BORAN AUCTION
Vleissentraal Vryheid, Warmbad 18 October 2025



LOT 24 (M)



OLI 220001
OLIFANTSKLIP FRANSIE



Herd Book	SP
Birth date	2022-01-03
Age	3y 9m
Inbreeding	2%
DNA	U7394U017

♂ JH 160045 Pch SP
MARONES JH160045

Wean Mat. 99

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

OA 180004 SP
ANOT OA 180004

Age 7y | AFC 35m | ICP 367d
Calves 5 | Weighed 3 | Wean Mat. 101
Avg. WI 98 | CCB 7.4 | CCW 44.5

Calvings: 20-12, 22-01, 22-11,
23-10, 25-01

OA 100002 SP
ANOT RADINAKA

Wean Mat. 111

CL 110078 SP
CIRCLE C CI110078

Age 14y | AFC 28m | ICP 373d
Calves 11 | Weighed 1 | Wean Mat. 101
Avg. WI 93 | CCB - | CCW 45.9

TLM 020003 SP
KETA VOORSLAG

♂ MHB 050008 SP
MOLL'S-HOOP JACKIE

Age 12y | Avg. WI 104
Calves 7 | Weighed 1

♂ TLM 05026 HH SP
KETA TLM 05 526 - KONING

CFH 060708 SP
ELANDSPRUIT 06 708

Age 8y | Avg. WI -
Calves 3 | Weighed -

TLM 050543 SP
KETA TLM050543

NAB 060010 SP
UPPER ELLERSIE SNOW WHITE

Age 6y | Avg. WI -

Calves 3 | Weighed -

TLM 050525 SP
KETA TLM050525 - INCREDIBULL

GF145U SP
GRASMERE GF 145 U

Age 15y | Avg. WI 107

Calves 9 | Weighed 2

P.S. BRITS



Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOOMSPRUIT, 0560

COW VALUE 102

84	Calving Ease Value
105	Calf Growth Value
101	Milk Value
106	Maintenance Value
105	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 102

PRODUCTION VALUE 100

LOGIX
EBV Analysis 2025-09-22

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
84 74%	138 57%	105 76%	101 55%	97 47%	97 50%	111 26%	99 52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96 36%	102 45%	109 31%	95 42%	77 48%	93 47%	106 43%	93 41%	91 41%

SELLER REMARKS: Son of Blixem, which was the highest priced bull at the 2022 National Sale. Fransie mother ICP 367. Fertility Value 105, Milk 102



Myostatin
Q204X Not Tested
NT821 Not Tested
F94L Not Tested

LOT 25 (F)



MCS 220722
MAFRED MCS 220722



M.C. STEGMANN

Louis Trichardt, Limpopo
0834410930
marli@mafred.co.za

POSBUS 3814, LOUIS TRICHARDT, 0920

Herd Book	SP
Birth date	2022-07-18
Age	3y 3m
Inbreeding	2%
DNA	U17893U004

BS 140050 SP

MOUNTAIN VIEW BS1450

Wean Mat. 106

Parentage	Sire	Dam
DNA	✓ ✓	

MCS 130977 SP

MAFRED MCS 130977

Age 11y | AFC 37m | ICP 412d
Calves 8 | Weighed - | Wean Mat. 80

Avg. WI - | CCB - | CCW -

Calvings: 16-12, 17-11, 19-05,
20-06, 22-07, 23-09, 24-10

♂ CI 070127 SP

CIRCLE C CI070127 - MAGNUM

Wean Mat. 114

Z 010203 SP

HLANZENI Z 01203

Age 16y | AFC 38m | ICP -
Calves 9 | Weighed - | Wean Mat. 91

Avg. WI - | CCB 5.08 | CCW -

B 070033 SP

BORGEN B07033

Wean Mat. 77

FN 100848 SP

FONTEINE FN100848

Age 8y | AFC 36m | ICP 500d
Calves 4 | Weighed - | Wean Mat. 83

Avg. WI - | CCB - | CCW -

COW VALUE 100

117	Calving Ease Value
77	Calf Growth Value
93	Milk Value
119	Maintenance Value
99	Fertility Value

GROWTH VALUE 89

CARCASS VALUE 82

PRODUCTION VALUE 95

LOGIX
EBV Analysis 2025-09-22

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109 51%	114 44%	77 47%	93 39%	103 36%	103 43%	95 29%	102 50%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81 38%	91 33%	90 13%	83 31%	81 37%	80 36%	85 33%	99 30%	97 29%

SELLER REMARKS: 9 maande dragtig van MCS 19-297 of MCS 20-444



Myostatin
Q204X Not Tested
NT821 Not Tested
F94L Not Tested

LOT 26 (F)



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Laaste Kalf	
Kalf ID	JH 250064 (F)
Geb. datum	2025-09-13
Vaar ID	MULTIPLE SIRES

Kalwings: 25-09

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



JH 220113

MARONES JH220113

Kuddeboek	SP
Geb. dtm	2022-10-06
Oud.	3j
Inteling	0%
DNS	U18833U032
OEK	35m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

JH 160045 Pch SP

MARONES JH160045

Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JH 150076 HH SP

MARONES JH150076

Oud. 9j | OEK 35m | TKP 377d
Kalwers 7 | Geweeg 5 | Spn. Mat. 61
Gem. SI 96 | KKG - | KKS 43.1

Kalwings: 18-09, 19-10, 20-10,
21-11, 22-10, 23-11, 24-12

JH 100077 SP

MARONES JH100077

Spn Mat. 93

JH 090542 SP

BORGEN B 090542

Spn Mat. 67

JH 110130 SP

MARONES JH110130

Oud. 12j | OEK 34m | TKP 392d
Kalwers 9 | Geweeg 7 | Spn. Mat. 91
Gem. SI 101 | KKG - | KKS 48.2

TLM 020003 SP
KETA VOORSLAG

© MHB 050008 SP
MOLL'S-HOOP JACKIE

Oud. 12j | Gem. SI 104
Kalwers 7 | Geweeg 1

© TLM 050256 HH SP

KETA TLM 05 526 - KONING

CFH 060708 SP

ELANDSPRUIT 06 708

Oud. 8j | Gem. SI -

Kalwers 3 | Geweeg -

K6K3534 SP

MOGWOOI K6K3534

V7Y7873 SP

KISIMA V7Y7873

Oud. 3lj | Gem. SI -

Kalwers - | Geweeg -

N 040007 SP

ERSTEGLUK-BAAS N 04 07

TLM 030059 SP

KETA TLM 03 59

Oud. 14j | Gem. SI 109

Kalwers 5 | Geweeg 5

KOEIWAARDE 106

99 Kalfgemak Waarde

103 Kalfgroeい Waarde

81 Melk Waarde

101 Onderhoudswaarde

116 Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 79

PRODUKSIE WAARDE 98

LOGIX
ESTATE GENETICS
EBV Analyse 2025-09-22

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	126	103	81	86	93	126	111
75%	64%	76%	58%	52%	51%	30%	53%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	80	91	99	70	76	71	77	87
36%	49%	32%	43%	53%	52%	47%	45%	44%

LOT 27 (F)



BG 220063

GB BOSVELD SAVANNA

GERBEN BORANE CC

Louis Trichardt, Limpopo
0842085319

gerrie@gerbenborane.co.za

POSBUS 1567, LOUIS TRICHARDT, 0920

Laaste Kalf	
Kalf ID	BG 250053 (M)
Geb. datum	2025-07-05
Vaar ID	FBGO170022

Kalwings: 25-07

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 100

92 Kalfgemak Waarde

111 Kalfgroeい Waarde

92 Melk Waarde

110 Onderhoudswaarde

91 Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 83

PRODUKSIE WAARDE 97

LOGIX
ESTATE GENETICS
EBV Analyse 2025-09-22

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	114	111	92	104	86	94	104
76%	63%	77%	56%	42%	47%	31%	56%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	84	81	93	80	82	109	81	90
69%	40%	23%	36%	45%	44%	42%	39%	39%


VERKOPER OPMERKINGS: WOW!! Absolute Stunning Hulk BH 15-253 Daughter. Combining Kelly MHB 04-24 and Savanna KPO 1016. Kalf BG25-53 van FBGO 17-22.

LOT 28 (F)



MOS 220508

MOSDENE MOS220508



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-12-15
Age	2y 10m
Inbreeding	0%
DNA	U11693U001

QT 120030 HH SP
MEYBOR QT1230
Wean Mat. 116
Parentage Sire Dam
DNA ✓ ✓
Genomic

QT 090007 SP
MEYBOR QT090007
Wean Mat. 122
Age 16y AFC - ICP -
Calves 9 Weighed 6 Wean Mat. 122
Avg. WI 106 CCB - CCW 50.3

JH 060004 SP
MARONES JH060004
Wean Mat. 122

XSX 080001 SP
CORMA XSX 0801
Age 8y AFC - ICP 445d

Calvings: 14-09, 16-05, 17-06,
18-07, 19-12, 20-11, 21-11, 22-12,
23-11, 25-03

HVT 000010 SP
OUTSPAN HVT000010
GF400 SP
GRASMERE 40 O
Age 21y Avg. WI -
Calves 6 Weighed -

CFH 060657 SP
ELANDSPRUIT 06 657
Age 9y Avg. WI 99

CFH 060760 SP
ELANDSPRUIT 06 760
Age 9y Avg. WI 109

TLM 030059 SP
KETA TLM 03 59
Age 14y Avg. WI 109

TLM 030012 SP
KETA TLM030012
Age 20y Avg. WI 95

OUTSPAN MAMBRUI
Age 13y Weighed 3
Calves 13 Weighed 3

COW VALUE 106

98	Calving Ease Value
101	Calf Growth Value
104	Milk Value
112	Maintenance Value
97	Fertility Value

GROWTH VALUE 80

CARCASS VALUE 79

PRODUCTION VALUE 97

SELLER REMARKS: A Feminine first calf Heifer 9 Months in calf to : PRB 18 15 (Kujivu son) , E 20 49 (Jumbo Son) or MOS 20 192 (Pumba son) . Line bred 494 , with added HVT 95 21 , FE 96 75 , 2738 and 1383!

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	103	101	104	81	104	94	97
76%	63%	79%	65%	36%	56%	35%	58%

LOT 29 (M)



JDP 210003

SLUITEL POORT JDP 210003



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-BUS 25, LOUIS TRICHARDT, 0920

USED IN HERD (2)	
Myostatin	
Q204X Not Tested	
NT821 Not Tested	
F94L Not Tested	

COW VALUE 98

106	Calving Ease Value
87	Calf Growth Value
113	Milk Value
122	Maintenance Value
82	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 96

PRODUCTION VALUE 97

SELLER REMARKS: Dam of this bull is a top performer with an ICP of 378/7 calves. This bull can also be used on heifers with excellent EBVs for calving ease, milk and maintenance.

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	120	87	113	94	88	75	111
64%	58%	56%	58%	48%	50%	35%	60%

Post-Wean Growth				Frame				Carcass			
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar			
93	99	95	78	88	95	119	115	93			
40%	45%	21%	42%	49%	48%	41%	39%	38%			



LIMPOPO PRESTIGE BORAN AUCTION
Vleissentraal Vryheid, Warmbad 18 October 2025



LOT 30 (F)



MCS 220729

MAFRED MCS 220729



M.C. STEGMANN

Louis Trichardt, Limpopo
0834410930
marli@mafred.co.za

POSBUS 3814, LOUIS TRICHARDT, 0920



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-08-05
Oud.	3j 2m
Inteling	10%
DNS	U17893U006

G MCS 170066 HH SP		
MAFRED MCS 170066		
Spn Mat. 98		
Ouerskap	Vaar	Moer
DNS	✓	✓
Genomics		

FN 120540 SP
FONTEINE FN120540

Spn Mat. 99

MCS 140145 SP
MAFRED MCS 140145

Oud. 4j | OEK 40m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 101

Gem. SI - | KKG - | KKS -

FN 060064 SP
FONTEINE FN0664

Spn Mat. 111

FN 150348 SP
FONTEINE FN150348

Oud. 10j | OEK 33m | TKP 429d
Kalwers 7 | Geweeg - | Spn. Mat. 111

Gem. SI - | KKG - | KKS -

Kalwings: 17-11, 19-05, 20-05,

21-06, 22-08, 23-12, 24-11

FN 060095 SP
FONTEINE FN0695

Oud. 12j | OEK - | TKP 352d

Kalwers 9 | Geweeg 1 | Spn. Mat. 112

Gem. SI 106 | KKG - | KKS 39

FN 060095 SP
FONTEINE FN0695

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP
FONTEINE FN 04 23

Oud. 14j | Gem. SI -

Kalwers 4 | Geweeg -

FN 060064 SP
FONTEINE FN0664

FN 100720 SP
FONTEINE FN 100720

Oud. 8j | Gem. SI -

Kalwers 5 | Geweeg -

2812 SP
GIANNI 2812

PB/9831 SP
DELAMERE 304

Oud. 32j | Gem. SI -

Kalwers - | Geweeg -

TLM 020004 SP
KETA TLM020004 CAESAR

Z 970043 SP
HLANZENI Z970043

Oud. 15j | Gem. SI -

Kalwers 7 | Geweeg -

KOEIWAARDE 89

92	Kalfgemak Waarde
103	Kalfgroeji Waarde
105	Melk Waarde
92	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 109

PRODUKSIE WAARDE 93

LOGIX
EBV Analise 2025-09-22

Kalf en Moeder

Vrugbaarheid

Geb.	Dir.	Geb.	Mat.	Spn.	Spn.	Skr.	Vers.	Koei	Vrugb.	Lanklew.
92	96	103	105	112	91	89	112			
41%	39%	38%	36%	34%	44%	30%	46%			

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw.	Hoogte	Lengte	OSO	Vet	Mar
107	110	113	106	99	100	101	116	125
30%	31%	17%	28%	34%	33%	31%	29%	29%

VERKOPER OPMERKINGS: 7 maande dragtig van MCS 19-297 of MCS 20-444

WPB 190025

BOR WP YSTERTJIE



BORAN WP

Mokopane, Limpopo
0824956829
richard@orcinus.co.za

21A CANTERBURY DRIVE, PRIVATE
BAG X16, BISHOPSCOURT, 7806

Laaste Kalf	
Kalf ID	WPB 240103 (M)
Geb. datum	2024-11-14
Vaar ID	WPB 200020

Kalwings: 22-09, 23-10, 24-11

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 88

108	Kalfgemak Waarde
90	Kalfgroeji Waarde
98	Melk Waarde
108	Onderhoudswaarde
82	Vrugbaarheidswaarde

GROEI WAARDE 85

KARKAS WAARDE 93

PRODUKSIE WAARDE 84

LOGIX
EBV Analise 2025-09-22

Kalf en Moeder

Vrugbaarheid

Geb.	Dir.	Geb.	Mat.	Spn.	Spn.	Skr.	Vers.	Koei	Vrugb.	Lanklew.
105	104	90	98	91	90	80	97			
78%	72%	41%	44%	31%	63%	44%	62%			

Na-Speen Groei


Raam

Karkas

Na-Speen	GDT	VOV	Volw.	Hoogte	Lengte	OSO	Vet	Mar
92	96	103	93	92	88	96	106	100
32%	29%	15%	35%	32%	31%	24%	23%	22%

VERKOPER OPMERKINGS: YSTERTJIE, SIRE: NOKIA SWR 10 27 (E 06 05 x B 03 28) DAM: WPB 12-18 (KB56X (PM14R) x CFH 08 404 (YSTER N 04 03 x HVT 97 17), GREAT EBV'S Maint 108/Calf Ease 108/ICP 389. 5,5 months preg to WPB 19-57 (RJ x (Top Gasket x Tim). Excellent EBV's.

LOT 32 (F)



**ALGANO
BORANE**

RENTROIA CC

Poekwane, Limpopo
0824431328
rentroiahelga@gmail.com

POSBUS 1025, FAUNA
PARK, POEKWANE, 0787

Last Calf	
Calf ID	ALG 250024 (F)
Birth Date	2025-05-03
Sire ID	BH 180200

Calvings: 25-05

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



ALG 220061

ALGANO BREE

Herd Book	SP
Birth date	2022-11-03
Age	2y 12m
Inbreeding	1%
DNA	U15453U002
AFC	30m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

W 150949 SP

MODEL W 150949

Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

Z 060051 SP

HLANZENI Z0651 - MR MILLION

Wean Mat. 123

B 090031 SP

BORGEN B09031

Age 16y | AFC 32m | ICP -
Calves 14 | Weighed - | Wean Mat. 61
Avg. WI - | CCB 5.86 | CCW -

DLV 100028 SP

DE LA VIDA DLV 100028

Wean Mat. 112

ALG 170018 SP

ALGANO BAILEY

Age 8y | AFC 26m | ICP 394d
Calves 6 | Weighed 5 | Wean Mat. 104
Avg. WI 101 | CCB 6.73 | CCW 47.9

Calvings: 19-07, 20-11, 21-11, 22-11,
24-01, 24-12

JH 120051 SP

MARONES JH120051

Age 11y | AFC 35m | ICP 412d
Calves 8 | Weighed 2 | Wean Mat. 91
Avg. WI 102 | CCB 5.88 | CCW 52

KPO794 SP
OL PEJETA 794

K6K2386 SP

MONGONI Z0651 - MR MILLION

Age 33y | Avg. WI -

Calves - | Weighed -

BIY943 SP

BIY943

KPO886 SP

OL PEJETA 886

Age 29y | Avg. WI -

Calves 1 | Weighed -

CI 070019 SP

CIRCLE C CI070019

B 050070 SP

BORGEN B 05 070

Age 6y | Avg. WI -

Calves 3 | Weighed -

CI 060004 SP

MARONES JH060004

Age 15y | Avg. WI 104

Calves 5 | Weighed 5

JH 090084 SP

MARONES JH090084

Age 15y | Avg. WI 104

Calves 9 | Weighed 5

COW VALUE 119

95	Calving Ease Value
108	Calf Growth Value
90	Milk Value
96	Maintenance Value
131	Fertility Value


GROWTH VALUE 105

CARCASS VALUE 100

PRODUCTION VALUE 118

SELLER REMARKS: 3 in 1, met n Pragtige vers kalf, ALG 25 -24 van KENYA, BH 18-200 en 3 minde dragtig van KENYA BH 18-200

LOT 33 (F)



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 250544 (M)
Birth Date	2025-08-04
Sire ID	MOS 210039

Calvings: 23-04, 24-05, 25-08

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

GUJ 200007

BARON GUJ 200007

Herd Book	SP
Birth date	2020-07-20
Age	5y 3m
Inbreeding	14%
DNA	U3544U009
AFC	32m
Calves	3
Weighed	2
Avg. WI	101
ICP	427d

GUJ 140008 SP

BARON GUJ 140008

Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

Z 060506 SP

KETA TLM 6 506

Wean Mat. 90

CFH 080042 SP

ELANDSPRUIT CFH 08 042

Age 6y | AFC 30m | ICP 421d
Calves 4 | Weighed 1 | Wean Mat. 94
Avg. WI 119 | CCB - | CCW 59.5

GUJ 100001 SP

BARON BARON

Wean Mat. 91

CFH 070182 SP

ELANDSPRUIT CFH07182

Age 18y | AFC - | ICP -
Calves 11 | Weighed 2 | Wean Mat. 79
Avg. WI 96 | CCB - | CCW -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000010 SP

KETA TLM 00 10

Age 15y | Avg. WI 94

Calves 11 | Weighed 4

HVT 990001 SP

OUTSPAN HVT 99 01

TLM 020051 SP

KETA TLM 02 51

Age 16y | Avg. WI -

Calves 3 | Weighed -

CFH 060506 SP

KETA TLM 6 506

CFH 080042 SP

ELANDSPRUIT CFH 08 042

Age 6y | Avg. WI 119

Calves 4 | Weighed 1

B 030031 SP

BORGEN B 03 31

HVT 020014 SP

OUTSPAN HVT 02 14

Age 10y | Avg. WI -

Calves 4 | Weighed -

COW VALUE 93

99	Calving Ease Value
90	Calf Growth Value
95	Milk Value
109	Maintenance Value
97	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 83

PRODUCTION VALUE 91

SELLER REMARKS: With Bull calf MOS25-544 at foot sired by MOS 21 39 Daraja

Calf and Mother		Fertility						
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	
94	106	90	95	100	98	97	99	
77%	69%	62%	72%	35%	60%	37%	55%	

Post-Wean Growth		Frame			Carcass			
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	
91	91	77	93	93	81	73	103	
36%	33%	25%	32%	36%	35%	32%	30%	

LOT 34 (F)



BD 210573
ZOUTPANSBERG BD 210573



DEKKER BOERDERY

Louis Trichardt, Limpopo
0829292358
dekkerboerdery@gmail.com

P/A MNR. BRAAM DEKKER, POS-
BUS 25, LOUIS TRICHARDT, 0920

Laaste Kalf	
Kalf ID	BD 240759 (M)
Geb. datum	2024-06-15
Vaar ID	MMX 160292

Kalwings: 24-06

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



Kuddeboek C	
Geb. dtm	2021-05-06
Oud.	4j 5m
Inteling	1%
DNS	U23960U001
OEK	37m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

JH 120093 SP		
MARONES JH060004		
Spn Mat. 119		
Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BD 170378 B		
ZOUTPANSBERG BD 170378		
Oud. 8j OEK 38m TKP 412d		
Kalwers 5 Geweeg 3 Spn. Mat. 113		

Gem. SI 102 | KKG - | KKS 43.6

Kalwings: 20-03, 21-05, 22-07,

23-09, 24-09

	JH 060004 SP
MARONES JH060004	
Spn Mat. 122	

DVB 090006 SP		
DIAMANT-V 09 006		
Oud. 6j OEK 39m TKP 467d		

Kalwers 3 | Geweeg 2 | Spn. Mat. 122

Gem. SI 107 | KKG - | KKS 41.9

E 100061 SP		
TAMBARAINE 100061		
Spn Mat. 102		

BD 130158 A		
ZOUTPANSBERG BD130158		
Oud. 6j OEK - TKP 354d		

Kalwers 4 | Geweeg 1 | Spn. Mat. 122

Gem. SI 106 | KKG - | KKS 44.2

	KB32X SP
KETA KB 32	
TLM 030059 SP	
KETA TLM 03 59	
Oud. 14j Gem. SI 32	
Kalwers 8 Geweeg 5	
TLM 050526 HH SP	
KETA TLM 05 526 - KONING	
DBV 050006 SP	
DIAMANT-V DBV 05 06	
Oud. 17j Gem. SI 108	
Kalwers 10 Geweeg 5	
TLM 02012 SP	
KETA TLM 02 12	
KB23W SP	
KETA KB 23 W	
Oud. 13j Gem. SI 102	
Kalwers 10 Geweeg 4	
AJB 100056 SP	
MOTSWIRI AJB10056	

KOEIWAARDE 87

99	Kalfgemak Waarde
104	Kalfgroeい Waarde
114	Melk Waarde
77	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 96

PRODUKSIE WAARDE 88



EBV Analyse 2025-09-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	113	104	114	108	82	100	100
73%	60%	73%	53%	48%	37%	26%	53%

Na-Speen Groei				Raam		Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	98	101	126	99	92	98	80	91
36%	45%	23%	35%	48%	47%	36%	33%	33%

LOT 35 (F)



CALI230904
CARALANI CALI230904



CARALANI

Polokwane, Limpopo
0828525968
callie@laeveld.co.za

POSTNET SUITE 111, PRIVAAT
SAK X9676, POLOKWANE, 0699

KOEIWAARDE 105

109	Kalfgemak Waarde
102	Kalfgroeい Waarde
91	Melk Waarde
96	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 95

PRODUKSIE WAARDE 104



EBV Analyse 2025-09-22

	Z 060051 SP
HLANZENI Z0651 - MR MILLION	
Spn Mat. 123	

W 110006 SP		
MODEL AMBER		
Oud. 14j OEK - TKP 427d		

Kalwers 9 | Geweeg 3 | Spn. Mat. 59

Gem. SI 74 | KKG 5.38 | KKS 34.9

JH 110118 SP		
MARONES JH110118		
Spn Mat. 77		

DVB 150047 SP		
DIAMANT-V DVB 150047		
Oud. 9j OEK 34m TKP 418d		

Kalwers 7 | Geweeg 2 | Spn. Mat. 95

Gem. SI 107 | KKG - | KKS -

DVB 120053 SP		
DIAMANT-V 1253		
Oud. 8j OEK 39m TKP 573d		

Kalwers 4 | Geweeg - | Spn. Mat. 105

Gem. SI - | KKG 7.18 | KKS -

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	108	102	91	93	95	113	103
74%	52%	75%	51%	33%	47%	33%	52%

Na-Speen Groei				Raam		Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte</			

LOT 36 (F)



PROSPERITAS BORAN



Polokwane, Limpopo
0792155933

prosperboran@outlook.com

35 KREMERTART STR, FLORA PARK, POLOKWANE, 0700

Last Calf

Calf ID	RVZ 250012 (F)
Birth Date	2025-09-05
Sire ID	MULTIPLE SIRES

Calvings: 21-10, 23-02, 24-04, 25-09

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

BOS 180239

BOS-BLANCO BOS BLANCO

Herd Book	SP
Birth date	2018-11-24
Age	6y 11m
Inbreeding	1%
DNA	U6452U001
AFC	34m
Calves	4
Weighed	2
Avg. WI	100
ICP	476d

G_r BOS 150219 HH SP

BOS-BLANCO BOS 150219

Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BOS 130233 SP

BOS-BLANCO BOS BLANCO

Age 11y | AFC 22m | ICP 386d
Calves 5 | Weighed - | Wean Mat. 72
Avg. WI - | CCB - | CCW -

Calvings: 15-10, 16-11, 17-10, 18-11,
20-01



LL 100011 SP

LONGLIFE 1011

Wean Mat. 125

HVT 010013 SP

OUTSPAN HVT 0113

Age 21y | AFC 34m | ICP -
Calves 13 | Weighed - | Wean Mat. 72
Avg. WI - | CCB - | CCW -

B 040039 SP

BORGEN B 04 39

Wean Mat. 68

BAR 110058 SP

BAR-CIRCLE KOKKIE

Age 14y | AFC - | ICP 450d
Calves 10 | Weighed - | Wean Mat. 75
Avg. WI - | CCB - | CCW -

HVT 980022 SP

OUTSPAN HVT980022

HVT 970701 SP

OUTSPAN HVT970701

Age 19y | Avg. WI -

Calves 9 | Weighed -

HVT 980010 SP

OUTSPAN HVT 98 10

HVT 950012 SP

OUTSPAN HVT950012

Age 21y | Avg. WI -

Calves 8 | Weighed -

KP0786 SP

OL PEJETA 786

8334 SP

ADC MUTARA 8334

Age 30y | Avg. WI -

Calves - | Weighed -

MHB 040027 SP

MOLL'S-HOOP KHAN

FN 080420 SP

FONTEINE FN 080420

Age 8y | Avg. WI -

Calves 2 | Weighed -

COW VALUE 126

108	Calving Ease Value
110	Calf Growth Value
86	Milk Value
111	Maintenance Value
117	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 110

PRODUCTION VALUE 127

SELLER REMARKS: Verskalf RVZ 25-11 van FPL 13-41

JH 220128

MARONES JH220128



LOT 37 (F)



MARONES STOET

Modimolle, Limpopo
marones.henning@gmail.com

P/A DR J.C. HENNING, POS-
BUS 1168, ELLISRAS, 0555

Last Calf

Calf ID	JH 250066 (F)
Birth Date	2025-09-15
Sire ID	MULTIPLE SIRES

Calvings: 25-09

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115

89	Calving Ease Value
113	Calf Growth Value
101	Milk Value
100	Maintenance Value
115	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 91

PRODUCTION VALUE 110

SELLER REMARKS: Verskalf JH25-66 van JH 20-66/JH 22-57

G_r JH 160045 Pch SP

MARONES JH160045

Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

G_r JH 160005 HH SP

MARONES JH160005

Wean Mat. 98

Age 9y | AFC 30m | ICP 366d
Calves 7 | Weighed 6 | Wean Mat. 98
Avg. WI 102 | CCB - | CCW 48

Calvings: 18-10, 19-12, 20-11, 21-11,
22-11, 23-10, 24-10

G_r JH 100127 SP

MARONES JH100127

Wean Mat. 93

Age 7y | AFC - | ICP 401d
Calves 5 | Weighed 5 | Wean Mat. 103

Avg. WI 104 | CCB - | CCW 37.5

G_r JH 100126 SP

MARONES JH100126

Wean Mat. 94

Age 8y | AFC 31m | ICP 426d
Calves 5 | Weighed 2 | Wean Mat. 101

Avg. WI 99 | CCB - | CCW 43

TLM 020003 SP

KETA VOORSLAG

G_r MHB 050008 SP

MOLL'S-HOOP JACKIE

Age 12y | Avg. WI 104

Calves 7 | Weighed 1

G_r TLM 050526 HH SP

KETA VOORSLAG

G_r MHB 050008 SP

MOLL'S-HOOP JACKIE

Age 12y | Avg. WI 104

Calves 7 | Weighed 1

G_r JH 060004 SP

MARONES JH060004

B 010020 SP

OUTSPAN B 01 020

Age 18y | Avg. WI -

Calves 4 | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
79	120	113	101	67	100	119	111

Post-Wean Growth

Frame

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	92	107	99	74	78	84	78	82

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	48%	32%	41%	52%	51%	46%	43%	43%

LOT 41 (F)



GERBEN BORANE CC



Louis Trichardt, Limpopo
0842085319
gerrie@gerbenborane.co.za

POSBUS 1567, LOUIS TRICHARDT, 0920



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

BG 220120

GB BOSVELD WINNIE

Herd Book	SP
Birth date	2022-12-20
Age	2y 10m
Inbreeding	0%

DNA U12286U011

JRS 160009 SP
JERAS JRS 160009

Wean Mat. 100

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

WG 100005 SP
UP ONE WINNIE

Age 15y | AFC 33m | ICP -
Calves 10 | Weighed 1 | Wean Mat. 119
Avg. WI 91 | CCB 5.23 | CCW 38.8

Calvings: 13-01, 14-07, 15-10,
17-02, 18-11, 19-12, 21-01, 21-11,
22-12, 24-05

B 120105 SP
BORGREN VREDE

Wean Mat. 107

JRS 130001 SP
JERAS JRS 130001

Age 12y | AFC 31m | ICP 417d
Calves 9 | Weighed 1 | Wean Mat. 100
Avg. WI - | CCB - | CCW -

TLM 050543 SP

KETA TLM050543

Wean Mat. 107

B 960615 SP
BORGREN B 96 615

Age 20y | AFC 35m | ICP -
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI - | CCB - | CCW -

G B 050098 SP
BORGREN B05098 - NINETY-EIGHT

B 040048 SP

BORGREN B04048

Age 16y | Avg. WI -

Calves 2 | Weighed -

JRS 09029 SP

JERAS JRS0929

JRS 09006 SP

JERAS 0906

Age 14y | Avg. WI -

Calves 7 | Weighed -

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF465 D DH SP

GRASMERE GF 46 S

Age 14y | Avg. WI 99

Calves 7 | Weighed 1

K6K1383 SP

MOGWONI K6K1383

PB8828 SP

MUTARA ADC 8828

Age 36y | Avg. WI -

Calves - | Weighed -

COW VALUE 118

100	Calving Ease Value
114	Calf Growth Value
112	Milk Value
90	Maintenance Value
113	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 112

PRODUCTION VALUE 117

LOGIX
GENETIC GENERATION
EBV Analysis 2025-09-22

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	109	114	112	100	109	109	111
73%	52%	74%	43%	32%	47%	34%	53%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	109	109	108	105	110	103	102	104
65%	29%	24%	30%	32%	31%	29%	27%	27%

SELLER REMARKS: WHAT A Heifer!!! Long, Deep, Broad 615 Granddaughter. Her Mother is one of a kind, Full sister to Hurwitz Farming's Famous Jasmine HOT 10-24. She's 6 months in calf to BG 21-23 Everest. AI with sexed semen and running with Everest.

JH 230052

MARONES JH230052



Herd Book	SP
Birth date	2023-07-04
Age	2y 3m
Inbreeding	2%

DNA U23933U013

G C NCT 160035 HH SP

THUYNSMA CAMEL

Wean Mat. 99

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

JH 160049 SP

MARONES JH160049

Age 9y | AFC 38m | ICP 359d
Calves 6 | Weighed 5 | Wean Mat. 78
Avg. WI 103 | CCB - | CCW 50.9

Calvings: 19-08, 20-07, 21-06,
22-06, 23-07, 24-07

ELS 110041 SP

ELS ELS1141

Wean Mat. 65

NCT 140006 SP

THUYNSMA NONNIE

Age 11y | AFC 29m | ICP 395d
Calves 9 | Weighed 6 | Wean Mat. 121
Avg. WI 110 | CCB 7.2 | CCW 47.3

B 090542 SP

BORGREN B 090542

Wean Mat. 67

JH 120088 HH SP

MARONES JH120088

Age 13y | AFC 32m | ICP 376d
Calves 11 | Weighed 10 | Wean Mat. 77
Avg. WI 94 | CCB - | CCW 45.1

MHB 040027 SP

MOLL'S-HOOP KHAN

G CI 070123 SP

CIRCLE C C1070123

Age 17y | Avg. WI 100

Calves 12 | Weighed 5

CI 110089 SP

CIRCLE C C110089

CI 110084 HH SP

CIRCLE C C110084

Age 14y | Avg. WI 111

Calves 10 | Weighed 8

K6K3534 SP

MOGWONI K6K3534

V7Y7873 SP

KISIMA V7Y7873

Age 31y | Avg. WI -

Calves - | Weighed -

RKB 070002 SP

MARIOS YUKA

AJB 080011 SP

MOTSWIRI AJB08011

Age 11y | Avg. WI 93

Calves 8 | Weighed 7

COW VALUE 122

119	Calving Ease Value
98	Calf Growth Value
87	Milk Value
121	Maintenance Value
107	Fertility Value

GROWTH VALUE 85

CARCASS VALUE 93

PRODUCTION VALUE 112

LOGIX
GENETIC GENERATION
EBV Analysis 2025-09-22

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	118	98	87	98	102	104	111
74%	56%	75%	54%	47%	48%	29%	48%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	93	98	80	88	89	111	104	100
43%	43%	23%	39%	47%	46%	43%	40%	39%


SELLER REMARKS: 7 maande dragtig van JH 22-92

LOT 43 (F)



MOS 200142

MOSDENE MOS 200142



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250571 (F)
Geb. datum	2025-08-27
Vaar ID	MOS 200067

Kalwings: 23-04, 24-05, 25-08

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 116

94	Kalfgemak Waarde
108	Kalfgroei Waarde
129	Melk Waarde
87	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 108

PRODUKSIE WAARDE 114

KOEIWAARDE 116	
94	Kalfgemak Waarde
108	Kalfgroei Waarde
129	Melk Waarde
87	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE 101	
101	

KARKAS WAARDE 108	
108	

PRODUKSIE WAARDE 114	
114	

VERKOPER OPMERKINGS: Feminine cow by Gustav BH 15 314, out of a B 09 596 daughter. Sells with a quality heifer calf MOS25-571 at foot from MOS200067. Good maternal genetics.

LOT 44 (F)



MCS 220777

MAFRED MCS 220777



M.C. STEGMANN

Louis Trichardt, Limpopo
0834410930
marli@mafred.co.za

POSBUS 3814, LOUIS TRICHARDT, 0920



KOEIWAARDE 95	
115	Kalfgemak Waarde
89	Kalfgroei Waarde
86	Melk Waarde
100	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

VERKOPER OPMERKINGS: 7 maande dragtig van MCS 19-297 of MCS 20-444

KOEIWAARDE 95	
115	Kalfgemak Waarde
89	Kalfgroei Waarde
86	Melk Waarde
100	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

KOEIWAARDE 95	
115	Kalfgemak Waarde
89	Kalfgroei Waarde
86	Melk Waarde
100	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

GROEI WAARDE 105

KARKAS WAARDE 100

PRODUKSIE WAARDE 97

LOT 45 (F)



WPB 220081

BOR WP OLIFANT ZELMA

Herd Book	SP
Birth date	2022-11-18
Age	2y 11m
Inbreeding	1%
DNA	U22805U001

BWS 160084 HH SP
BRENAISSANCE OLIFANT JNR

Wean Mat. 112

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

WPB 120062 SP
BOR WP EIFFEL

Age 13y | AFC 38m | ICP 353d
Calves 10 | Weighed - | Wean Mat. 94
Avg. WI - | CCB 6.57 | CCW -
Calvings: 15-11, 17-01, 18-01, 19-01,
19-12, 20-12, 21-11, 22-11, 23-09,
24-07

HOT 110017 SP
HOTSPOT ZANDRA

Age 13y | AFC - | ICP 389d
Calves 8 | Weighed - | Wean Mat. 114
Avg. WI - | CCB - | CCW -

KB56X SP
KETA KB 56 X

Wean Mat. 98

SWR 100028 SP
ASHREE PARIS 100028

Age 15y | AFC 26m | ICP -
Calves 10 | Weighed 1 | Wean Mat. 90
Avg. WI 92 | CCB - | CCW 37.4

TLM 020003 SP
KETA VOORSLAG

BA 050031 SP
BA OLIFANT

Age 5y | Avg. WI -
Calves 4 | Weighed -

MHB 040027 SP
MOLLS-HOOP KHAN

HOT 070009 SP
HOTSPOT ZELMA

Age 13y | Avg. WI 83
Calves 8 | Weighed 1

PM14R SP
LILAY PM14R

GF26PSZ SP
GRASMERE 26 P

Age 13y | Avg. WI -
Calves 3 | Weighed -

B 040042 SP
BORGEN B 04 42

Z 040063 SP
HLANZENI Z 04 63

Age 13y | Avg. WI -
Calves 6 | Weighed -

BORAN WP

Mokopane, Limpopo
0824956829
richard@orcinus.co.za

21A CANTERBURY DRIVE, PRIVATE
BAG X16, BISHOPSCOURT, 7806

COW VALUE 99

99	Calving Ease Value
94	Calf Growth Value
103	Milk Value
95	Maintenance Value
109	Fertility Value

GROWTH VALUE 89

CARCASS VALUE 99

PRODUCTION VALUE 95



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: OLIFANT ZELMA, SIRE: OLIFANT JNR (LW 09 22 OLIFANT(VOORSLAG x OLIFANT x KHAN x ZELMA). DAM: WPB 12 62 (KB56X (PM14R) x PARIS (B 04 42 x K6K3094), Great EBV's Fertility 109/Milk 103. 5 months in calf to WPB 19-57 (RJ x (Top Gasket x Tim).

LOT 47 (F)



MCS 230846

MAFRED MCS 230846

Herd Book	SP
Birth date	2023-05-01
Age	2y 6m
Inbreeding	4%
DNA	U21704U001

MCS 170066 HH SP

MAFRED MCS 170066

Wean Mat. 98

Parentage	Sire	Dam
DNA	✓ ✓	
Genomic		

MCS 190300 SP

MAFRED MCS 190300

Age 6y | AFC 33m | ICP 452d
Calves 3 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -
Calvings: 22-01, 23-05, 24-06

FN 120540 SP
FONTEINE FN120540

Wean Mat. 99

MCS 140145 SP
MAFRED MCS 140145

Age 4y | AFC 40m | ICP -
Calves 1 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -

FPL 130041 HH SP

BLOODLINE KALLIE

Wean Mat. 130

FN 080304 SP

FONTEINE FN 080304

Age 16y | AFC - | ICP -
Calves 13 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Age 14y | Avg. WI -
Calves 4 | Weighed -

FN 060064 SP

FONTEINE FN0664

FN 100720 SP

FONTEINE FN 100720

Age 8y | Avg. WI -
Calves 5 | Weighed -

FPL 090055 SP

BLOODLINE DE LA REY

HOT 070007 SP

HOTSPOT TANYA

Age 18y | Avg. WI 105

Calves 8 | Weighed 3

TLM 020004 SP

KETA TLM020004 CAESAR

Z 010035 SP

HLANZENI Z 01 35

Age 13y | Avg. WI -

Calves 7 | Weighed -

M.C. STEGMANN

Louis Trichardt, Limpopo
0834410930
marli@mafred.co.za

POSBUS 3814, LOUIS TRICHARDT, 0920

COW VALUE 83

95	Calving Ease Value
97	Calf Growth Value
105	Milk Value
93	Maintenance Value
88	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 109

PRODUCTION VALUE 89



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 9 maande dragtig van MCS 19-297 of MCS 20-444

Calf and Mother		Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.
94	98	94	103	103	106
40%	37%	38%	35%	33%	40%

Post-Wean Growth		Frame				Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	111	112	105	106	102	106	117	116
32%	31%	15%	29%	34%	33%	31%	29%	28%

LOT 48 (F)



ERA 230008

AMATAVA ERA230008



AMATAVA BORANE

Poloekwane, Limpopo
0832536558
amatava@mweb.co.za

POSBUS 2309, POLOKWANE, 0700



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-09-25
Oud.	2j 1m
Inteling	1%
DNS	U15683U005

W 170320 HH SP
MODEL MADOTTA
Spn Mat. 101
Ouerskap Vaar Moer
DNS ✓ ✓
Genomies

OA 130032 SP
ANOT OA 130032

Oud. 12j | OEK 25m | TKP 363d
Kalwers 10 | Geweeg 3 | Spn. Mat. 95
Gem. SI 100 | KKG 7.05 | KKS 43.1
Kalwings: 15-11, 16-11, 17-10, 18-10,
19-10, 20-11, 21-11, 22-11, 23-09,
24-10

OA 100027 SP
ANOT OA100027

Spn Mat. 98

Oud. 12j | OEK 25m | TKP 363d
Kalwers 10 | Geweeg 3 | Spn. Mat. 95
Gem. SI 100 | KKG 7.05 | KKS 43.1
Kalwings: 15-11, 16-11, 17-10, 18-10,
19-10, 20-11, 21-11, 22-11, 23-09,
24-10

OA 100045 SP
ANOT OA100045

Oud. 14j | OEK 37m | TKP 702d
Kalwers 4 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -

- CI 070034 SP
CIRCLE C CI070034- JUNIOR
- B 040069 SP
BORGREN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
- Z 060051 SP
HLANZENI Z060051 - MR MILLION
- AAA 060001 HH SP
TRIPLE A HEIDI
Oud. 18j | Gem. SI 92
Kalwers 13 | Geweeg 5
- B 040012 SP
BORGREN B 04001
- B 050084 SP
BORGREN B 05 84
Oud. 10j | Gem. SI -
Kalwers 1 | Geweeg -
- B 030029 SP
BORGREN B03029
- LES 060031 SP
DE ROODEPOORT LES 0631
- Oud. 13j | Gem. SI 71
Kalwers 9 | Geweeg 1

KOEIWAARDE 96

91	Kalfgemak Waarde
120	Kalfgroei Waarde
97	Melk Waarde
87	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 113

PRODUKSIE WAARDE 99



W 110036 SP

MODEL MADOTTA

Spn Mat. 97

W 120101 SP

MODEL HEIDI

Oud. 13j | OEK 32m | TKP 388d
Kalwers 10 | Geweeg 5 | Spn. Mat. 118
Gem. SI 105 | KKG - | KKS 35.4

OA 100027 SP

ANOT OA100027

Spn Mat. 98

OA 100045 SP

ANOT OA100045

Spn Mat. 99

DE ROODEPOORT LES 0631

Oud. 13j | Gem. SI 71

Kalwers 9 | Geweeg 1

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 13j | OEK 32m | TKP 388d

Kalwers 10 | Geweeg 5 | Spn. Mat. 118

Gem. SI 105 | KKG - | KKS 35.4

Kalwings: 15-11, 16-11, 17-10, 18-10,

19-10, 20-11, 21-11, 22-11, 23-09,

24-10

Oud. 14j | OEK 37m | TKP 702d

Kalwers 4 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 12j | OEK 25m | TKP 363d

Kalwers 10 | Geweeg 3 | Spn. Mat. 95

Gem. SI 100 | KKG 7.05 | KKS 43.1

Kalwings: 15-11, 16-11, 17-10, 18-10,

LOT 53 (F)



MCS 230881

MAFRED MCS 230881



Kuddeboek	SP
Geb. dtm	2023-09-14
Oud.	2j 1m
Inteling	4%
DNS	U21704U008

M.C. STEGMANN

Louis Trichardt, Limpopo
0834410930
marli@mafred.co.za

POSBUS 3814, LOUIS TRICHARDT, 0920



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 110

111	Kalfgemak Waarde
95	Kalfgroei Waarde
85	Melk Waarde
110	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE 94

PRODUKSIE WAARDE 109

KOEIWAARDE 110

KARKAS WAARDE 94

PRODUKSIE WAARDE 109

KOEIWAARDE 110

KARKAS WAARDE 94

PRODUKSIE WAARDE 109

LOT 54 (M)



TLM 050526 HH

KETA TLM 05 526 - KONING



Kuddeboek	SP
Geb. dtm	2005-10-31
Oud.	19j 12m
Inteling	0%
DNS	UA47416

KOEIWAARDE 65

104	Kalfgemak Waarde
114	Kalfgroei Waarde
111	Melk Waarde
68	Onderhoudswaarde
56	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 106

PRODUKSIE WAARDE 76

KOEIWAARDE 65

KARKAS WAARDE 106

PRODUKSIE WAARDE 76

KOEIWAARDE 65

KARKAS WAARDE 106

PRODUKSIE WAARDE 76



Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS: 6 x SEMEN STRAWS OF THE WELL-KNOWN STUD SIRE: KONING TLM 05 526. DIRECT SON OF THE FAMOUS BUFFEL TLM 02-0001. PROVEN GENETICS WITH OVER 650 PROGENY OVER TIME. HERE IS YOUR CHANCE TO ACQUIRE ORIGINAL GENETICS

MCS 200444 HH SP

MAFRED MCS 200444

Spn Mat. 81

Ouerskap Vaar Moer

DNS	✓	✓
Genomies		

Spn Mat. 80

FN 130052 SP

FONTEINE FN 13 52

Oud. 10j | OEK - | TKP -

FN 080304 SP

FONTEINE FN 080304

Oud. 16j | OEK - | TKP -

Kalwers 13 | Geweeg - | Spn. Mat. 92

Gem. SI - | KKG - | KKS -

Oud. 10j | OEK 34m | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Kalwings: 17-10, 18-10, 20-09,

21-08, 22-07, 23-09, 24-10

FN 140127 SP

FONTEINE FN 140127

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d

Kalwers 7 | Geweeg - | Spn. Mat. 88

Gem. SI - | KKG 5 | KKS -

Oud. 10j | OEK - | TKP 426d



LIMPOPO PRESTIGE BORAN AUCTION

Vleissentraal Veenkloof, Warmbad 18 October 2025



LOT 55 (M)



EMD 190015 HH
OOSTENWAL NEWTON



P.S. BRITS

 GOLD · GOLD
Elite

Naboomspruit, Limpopo
0849821122
michbrits@gmail.com

POSBUS 433, NABOOMSPRUIT, 0560

USED IN HERD (35)



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 94

70	Calving Ease Value
141	Calf Growth Value
89	Milk Value
67	Maintenance Value
106	Fertility Value

GROWTH VALUE 143

CARCASS VALUE 144

PRODUCTION VALUE 111

SELLER REMARKS: Lot A 6 x Sexed female straws. Lot B 12 x Semen straws Proven NDA 9 bred herdsire. Newton breeds consistently outstanding progeny, both male and female.

LOT 56 (M)



FN 100786
FONTEINE LIMPOPO MAGIC



1 CO-USER(S)

COW VALUE	102
Calving Ease Value	
Calf Growth Value	
Milk Value	
Maintenance Value	
Fertility Value	
GROWTH VALUE	101
CARCASS VALUE	112

Myostatin

DUCTION VALUE | 102

SELLER REMARKS: 12 x semen strooitjes. Blue Blood Bont Genetics. Ramaphosa x Winnie. Great EBS's, Milk 126/Carcas V112/Cow Value 102 with on Eye Muscle area 125 and dressing %6117.

Weststock Improvement Association

LOT 57 (M)



KB28W D
KETA KB 28 W



Kuddeboek	SP
Geb. dtm	2002-11-11
Oud.	22j 11m
Inteling	0%
DNS	AS004668

PM14R SP

LILAYI PM14R

Spn Mat. 107

Ouerskap Vaar Moer

DNS

Genomies

NN85003A
BARAGOI FALCON NN85003A
Spn Mat. 97

J100
LILAYI PM92100J

Oud. 35j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 106
Gem. SI - | KKG - | KKS -

DS82009U
DOUGLAS DS82009U
GF80013S
GRASMERE GF80013S
Oud. 45j | Gem. SI -
Kalwers - | Geweeg -
PM84016X
LILAYI PM84016X
Oud. 41j | Gem. SI -
Kalwers - | Geweeg -
PM84008X
LILAYI PM84008X
Oud. 41j | Gem. SI -
Kalwers - | Geweeg -

GF31R
GF31R

Oud. 45j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 117
Gem. SI - | KKG - | KKS -

Kalwings: 02-11

KOEIWAARDE 96

118	Kalfgemak Waarde
88	Kalfgroeи Waarde
125	Melk Waarde
82	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 107

PRODUKSIE WAARDE 96

LOGIX
GENETIC CENTER
EBV Analise 2025-09-22

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
117	102	88	125	149	99	104	79
98%	97%	96%	97%	92%	97%	92%	98%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	93	96	117	89	93	127	106	66
92%	91%	90%	93%	92%	92%	91%	91%	91%

VERKOOPER OPMERKINGS: 6 x Semen Strooitjies

Miosatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUD.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhansel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhansel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomes Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiet Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotipies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir.	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lankewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik