

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MC BORAN PRODUCTION AUCTION

Red Oak, Bainsvlei, Bloemfontein

20 June 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 02 June 2026





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

V-PLAN 14

Breed Logo

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

SB 110001
SUPERBULL SB 11 0100

6

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage		
Sire	Dam	
DNA	X	✓
Genomic	X	✓

11

SB 140007
SUPERBULL SB 140007 Pp(c)

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

SB 110012 P
SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

- 1 Lot Number & sex (mixed lots)
- 2 Breed's logo
- 3 GT - animal is genomically tested
- 4 Animal Identification Number and Name
- 5 Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
- 6 Animal's photo, or Herd's logo
- 7 Herd's logo
- 8 Owner's information
- 9 Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
- 10 Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period
- 11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
- 12 Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
- 13 Four (4) generation pedigree
- 14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

- Myostatin Results**
- Free - free from double muscling genes
 - Carrier - heterozygotic / carrier of one double muscling gene
 - D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits	Description/Measurement	Goal	General Guidelines					
			<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
Fertility	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
Growth & Frame	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
Carcass	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



MC 200084
MCS MC 200084



Herd Book	SP
Birth date	2020-08-02
Age	5y 11m
Inbreeding	3%
DNA	U3117U011
AFC	39m
Calves	3
Weighed	0
Avg. WI	-
ICP	395d

MC 130043 SP
MCS MC1343
Wean Mat. 72

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 140108 SP
MCS MC1408
Age 11y | AFC 29m | ICP 406d
Calves 8 | Weighed 2 | Wean Mat. 123
Avg. WI 105 | CCB - | CCW 52.2
Calvings: 17-01, 18-01, 19-05,
20-08, 21-06, 22-10, 23-11, 24-11

TLM 030012 SP
KETA TLM030012
Wean Mat. 76

CI 080071 SP
CIRCLE C CI080071
Age 13y | AFC 26m | ICP (donor)
Calves 9 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

TLM 020011 SP
KETA TLM 02 11
Wean Mat. 110

M 090011 HH SP
MCS M0911
Age 15y | AFC - | ICP (donor)
Calves 8 | Weighed 2 | Wean Mat. 115
Avg. WI 103 | CCB - | CCW -

K6K2738 PBD
KE MOGWOONI K6K2738
KPO4202 F
KE OL PEJETA KPO 4202
Age 36y | Avg. WI -
Calves - | Weighed -
TLM 050525 SP
KETA TLM050525 - INCREDIBULL
TLM 020035 DH SP
KETA THARINA
Age 17y | Avg. WI 95
Calves 11 | Weighed 6
KPO791 PBD
KE OL PEJETA KPO 791
K6K2748 PBD
KE MOGWOONI K6K2748
Age 36y | Avg. WI -
Calves 1 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
Z 060015 SP
HLANZENI Z0615
Age 13y | Avg. WI 100
Calves 7 | Weighed 2

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOFF, 8340

Last Calf	
Calf ID	MC 250134 (M)
Birth Date	2025-12-15
Sire ID	MC 150066

Calvings: 23-10, 24-10, 25-12

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 89

108	Calving Ease Value
79	Calf Growth Value
97	Milk Value
100	Maintenance Value
108	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 92

PRODUCTION VALUE 87



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	104	79	97	109	111	106	106
47%	48%	46%	47%	35%	51%	29%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	90	97	99	82	86	98	107	98
32%	32%	14%	50%	34%	31%	28%	31%	28%

SELLER REMARKS: 3 in 1. 3 mnd in calf van MS: MC15-66 / MC20-29 / MC21-87. Bull kalf MC25-134 aan voet van MC15-66

LOT 2 (F)



MC 140168
MCS MC14168



Herd Book	SP
Birth date	2014-12-06
Age	11y 6m
Inbreeding	2%
DNA	U248793
AFC	35m
Calves	8
Weighed	0
Avg. WI	-
ICP	422d

MC 100093 SP
MCS MC1093
Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 100003 SP
MCS MC103
Age 10y | AFC - | ICP (donor)
Calves 5 | Weighed - | Wean Mat. 82
Avg. WI - | CCB - | CCW -
Calvings: 13-05, 14-12, 15-12,
17-08, 19-05

TLM 020038 SP
KETA TLM020038
Wean Mat. 70

NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Age 6y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 102
Avg. WI - | CCB 6.23 | CCW -

TLM 050512 SP
KETA TLM050512 - ADES
Wean Mat. 78

M 080013 SP
MCS M0813
Age 4y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

K6K2738 PBD
KE MOGWOONI K6K2738
KPO4203 F
KE OL PEJETA KPO 4203
Age 18y | Avg. WI -
Calves - | Weighed -
KPO493 PBD
KE OL PEJETA 493
Z7F2834 F
KE WORAGUS 2834
Age 30y | Avg. WI -
Calves - | Weighed -
K6K2459 PBD
KE MOGWOONI K6K2459
ZF3675 PBD
SEGERA ZF 3675
Age 33y | Avg. WI -
Calves 1 | Weighed -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOFF, 8340

Last Calf	
Calf ID	MC 250116 (F)
Birth Date	2025-11-26
Sire ID	MC 150066

Calvings: 17-10, 19-03, 20-08, 21-11, 22-11, 23-10, 24-10,
25-11

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 83

114	Calving Ease Value
90	Calf Growth Value
83	Milk Value
99	Maintenance Value
91	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 84

PRODUCTION VALUE 82



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	110	90	83	108	93	98	99
53%	53%	41%	38%	30%	50%	32%	66%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	101	108	100	86	90	91	85	81
28%	28%	16%	40%	29%	27%	22%	24%	22%

SELLER REMARKS: 3 in 1. 2 mnd in calf van MS: MC15-66 / MC20-29 / MC21-87. Verskalf MC25-116 aan voet van MC15-66.

LOT 3 (F)



MC 220076
MCS MC 220076

Kuddeboek	SP
Geb. dtm	2022-11-30
Oud.	3j 7m
Inteling	3%
DNS	UI2999U033
OEK	25m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 250203 (F)
Geb. datum	2025-01-13
Vaar ID	MC 190061

Kalwings: 25-01

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MC 180045 SP
MCS MC1845
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 140168 SP
MCS MC14168
Oud. 11j | OEK 35m | TKP 422d
Kalwers 8 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -
Kalwings: 17-10, 19-03, 20-08,
21-11, 22-11, 23-10, 24-10, 25-11

CI 080047 DH SP
CIRCLE C CI080047
Spn Mat. 116

MC 120144 SP
MCS MC12144
Oud. 13j | OEK - | TKP 482d
Kalwers 9 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

MC 100093 SP
MCS MC1093
Spn Mat. 84

MC 100003 SP
MCS MC103
Oud. 10j | OEK - | TKP (donor)
Kalwers 5 | Geweeg - | Spn. Mat. 82
Gem. SI - | KKG - | KKS -

TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Oud. 15j | Gem. SI 113
Kalwers 6 | Geweeg 1
M 090002 SP
MCS ZUMA
M 080035 SP
MCS M0835
Oud. 11j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020038 SP
KETA TLM020038
NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
TLM 050512 SP
KETA TLM050512 - ADES
M 080013 SP
MCS M0813
Oud. 4j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 91

109	Kalfgemak Waarde
89	Kalfgroei Waarde
91	Melk Waarde
104	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 83

KARKAS WAARDE 85

PRODUKSIE WAARDE 86



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	110	89	91	96	100	94	111
38%	38%	32%	31%	24%	46%	24%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	89	87	95	79	83	94	92	84
22%	23%	13%	31%	24%	22%	19%	21%	20%

VERKOPER OPMERKINGS: 5 mnde in kalf van MS: MC19-61 / MC13-96

LOT 4 (F)



MC 230084
MCS MC 230084

Kuddeboek	SP
Geb. dtm	2023-09-20
Oud.	2j 9m
Inteling	2%
DNS	UI7111U006



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MC 180067 SP
MCS MC 180067
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 200111 SP
MCS MC 200111
Oud. 5j | OEK 35m | TKP 359d
Kalwers 3 | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -
Kalwings: 23-09, 24-10, 25-09

BA 100168 SP
BA RENOSTER
Spn Mat. 95

JCB 150147 SP
JODAN JCB 150147
Oud. 10j | OEK 36m | TKP 442d
Kalwers 7 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

FN 121101 SP
FONTEINE FN121101
Spn Mat. 119

MC 170154 SP
MCS MC17154
Oud. 8j | OEK 34m | TKP 411d
Kalwers 5 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -

B 040042 SP
BORGEN B 04 42
BA 040009 SP
BA KORTLIES
Oud. 15j | Gem. SI -
Kalwers 10 | Geweeg -
LM 120005 SP
LIA-MAR LM120005
MC 120090 SP
MCS MC1290
Oud. 5j | Gem. SI 100
Kalwers 2 | Geweeg 2
KB30X HH SP
KETA KB 30 X
FN 080362 SP
FONTEINE FN 080362
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 030012 SP
KETA TLM030012
TLM 050031 SP
KETA TLM 5 31
Oud. 19j | Gem. SI -
Kalwers 13 | Geweeg -

KOEIWAARDE 98

109	Kalfgemak Waarde
90	Kalfgroei Waarde
98	Melk Waarde
110	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 85

KARKAS WAARDE 93

PRODUKSIE WAARDE 92



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	102	90	98	103	96	92	109
44%	37%	39%	33%	30%	34%	21%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	88	92	91	93	91	99	103	88
28%	28%	10%	34%	29%	28%	17%	18%	17%

VERKOPER OPMERKINGS: 7 mnde in kalf van MC19-118

LOT 5 (F)



MC 230057
MCS MC 230057



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-07-27
Age	2y 11m
Inbreeding	1%
DNA	U15046U009

MXM 140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 120073 SP
MCS MC1273
Age 14y | AFC - | ICP 401d
Calves 11 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -
Calvings: 14-12, 15-12, 16-11, 17-10,
18-11, 20-02, 21-01, 22-03, 23-07,
24-10, 25-12

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 91

FN 090652 SP
FONTEINE FN 090652
Age 16y | AFC 31m | ICP (donor)
Calves 11 | Weighed 4 | Wean Mat. 95
Avg. WI 103 | CCB 5.36 | CCW -

CI 080047 DH SP
CIRCLE C CI080047
Wean Mat. 116

CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 82
Avg. WI - | CCB - | CCW -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Age 20y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Age 15y | Avg. WI 113
Calves 6 | Weighed 1
HVT 980001 HH SP
OUTSPAN HVT980001
Z 000290 SP
HLANZENI Z 00 290
Age 18y | Avg. WI -
Calves 2 | Weighed -

COW VALUE 103

110	Calving Ease Value
86	Calf Growth Value
93	Milk Value
121	Maintenance Value
102	Fertility Value

GROWTH VALUE 80

CARCASS VALUE 78

PRODUCTION VALUE 94



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	106	86	93	88	98	110	97
46%	45%	38%	36%	29%	39%	25%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	81	72	81	73	77	96	101	106
27%	27%	13%	35%	29%	26%	23%	26%	24%

SELLER REMARKS: 8 mnde in kalf van MS: MC19-118 / MC13-96

LOT 6 (F)



MC 230083
MCS MC 230083



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-09-20
Age	2y 9m
Inbreeding	1%
DNA	U17111U005

MC 180067 SP
MCS MC 180067
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 200086 SP
MCS MC 200086
Age 5y | AFC 38m | ICP 397d
Calves 2 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -
Calvings: 23-09, 24-10

BA 100168 SP
BA RENOSTER
Wean Mat. 95

JCB 150147 SP
JODAN JCB 150147
Age 10y | AFC 36m | ICP 442d
Calves 7 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -

M 090002 SP
MCS ZUMA
Wean Mat. 82

MC 150105 SP
MCS MC15105
Age 10y | AFC 37m | ICP 429d
Calves 5 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

B 040042 SP
BORGEN B 04 42
BA 040009 SP
BA KORTLIES
Age 15y | Avg. WI -
Calves 10 | Weighed -
LM 120005 SP
LIA-MAR LM120005
MC 120090 SP
MCS MC1290
Age 5y | Avg. WI 100
Calves 2 | Weighed 2
B 040001 SP
BORGEN B 04001
CFH 060503 SP
ELANDSPRUIT CFH 06 503
Age 17y | Avg. WI -
Calves 11 | Weighed -
CI 100020 SP
CIRCLE C CI100020
CI 120038 SP
CIRCLE C CI120038
Age 13y | Avg. WI -
Calves 6 | Weighed -


COW VALUE 99

117	Calving Ease Value
82	Calf Growth Value
89	Milk Value
117	Maintenance Value
103	Fertility Value

GROWTH VALUE 76

CARCASS VALUE 88

PRODUCTION VALUE 90



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	110	82	89	101	102	98	108
44%	37%	39%	33%	30%	35%	21%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	81	84	86	84	86	95	105	95
28%	29%	12%	34%	30%	29%	18%	19%	18%

SELLER REMARKS: 5 mnde in kalf van MC19-118

LOT 7 (F)



MC 230156
MCS MC 230156

Kuddeboek	SP
Geb. dtm	2023-12-24
Oud.	2j 6m
Inteling	5%
DNS	U1711U031



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MC 190034 HH SP
MCS MC1934
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 210054 SP
MCS MC 210054
Oud. 5j | OEK 31m | TKP 357d
Kalwers 3 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -
Kalwings: 23-12, 24-11, 25-12

FN 121101 SP
FONTEINE FNI21101
Spn Mat. 119

MC 110085 SP
MCS MC1185
Oud. 12j | OEK - | TKP 491d
Kalwers 6 | Geweeg 1 | Spn. Mat. 99
Gem. SI 107 | KKG - | KKS -

MC 150013 HH SP
MCS MC1513
Spn Mat. 82

MC 130147 SP
MCS MC13147
Oud. 11j | OEK 36m | TKP 434d
Kalwers 6 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

KB30X HH SP
KETA KB 30 X
FN 080362 SP
FONTEINE FN 080362
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020011 SP
KETA TLM 02 11
M 080013 SP
MCS M0813
Oud. 4j | Gem. SI -
Kalwers - | Geweeg -
MXM100484 HH SP
MAMBUSHI 10-0484MXM
MC 120044 SP
MCS MC1244
Oud. 14j | Gem. SI -
Kalwers 11 | Geweeg -
TLM 030012 SP
KETA TLM030012
MC 110093 SP
MCS MC1193
Oud. 13j | Gem. SI -
Kalwers 7 | Geweeg -

KOEIWAARDE 104

118	Kalfgemak Waarde
81	Kalfgroei Waarde
98	Melk Waarde
129	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 86

KARKAS WAARDE 80

PRODUKSIE WAARDE 98



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	109	81	98	109	89	93	117
36%	36%	33%	32%	24%	33%	20%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	86	88	70	74	75	94	106	97
21%	22%	9%	32%	23%	21%	18%	20%	18%

VERKOPER OPMERKINGS: 5 mnde in kalf van MC19-118

LOT 8 (F)



MC 180114
MCS MC18114

Kuddeboek	SP
Geb. dtm	2018-12-19
Oud.	7j 6m
Inteling	1%
DNS	U477715
OEK	33m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	564d



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Laaste Kalf	
Kalf ID	MC 260018 (M)
Geb. datum	2026-05-19
Vaar ID	MC 190034

Kalwings: 21-09, 22-10, 24-10, 26-05

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

CI 080006 DH SP
CIRCLE C C1080006
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 130033 SP
MCS MC1333
Oud. 12j | OEK 31m | TKP 488d
Kalwers 6 | Geweeg - | Spn. Mat. 76
Gem. SI - | KKG - | KKS -
Kalwings: 15-10, 16-09, 17-11,
18-12, 21-04, 22-06

TLM 040507 DH SP
KETA TLM040507 - BUSTER
Spn Mat. 80

GF77R D DH SP
GRASMERE GF 77 R
Oud. 18j | OEK - | TKP (donor)
Kalwers 8 | Geweeg 2 | Spn. Mat. 122
Gem. SI 91 | KKG - | KKS 51.9

TLM 030012 SP
KETA TLM030012
Spn Mat. 76

FN 090627 SP
FONTEINE FN 09 627
Oud. 3j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 74
Gem. SI - | KKG - | KKS -

K6K2459 PBD
KE MOGWOONI K6K2459
KPO961 PBD
KE OL PEJETA KPO 961
Oud. 36j | Gem. SI -
Kalwers 1 | Geweeg -
GF92118J
GRASMERE GF92118J
GF83M SP
GF83M
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
K6K2738 PBD
KE MOGWOONI K6K2738
KPO4202 F
KE OL PEJETA KPO 4202
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
TLM 040529 SP
KETA TLM040529 - RINKHALS
CI 070007 SP
CIRCLE C C1070007
Oud. 11j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 86

94	Kalfgemak Waarde
104	Kalfgroei Waarde
85	Melk Waarde
112	Onderhoudswaarde
80	Vrugbaarheidswaarde

GROEI WAARDE 87

KARKAS WAARDE 96

PRODUKSIE WAARDE 83



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	98	104	85	98	85	74	103
53%	52%	40%	41%	32%	52%	33%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	90	84	90	89	93	111	106	97
30%	30%	17%	42%	32%	29%	25%	27%	25%

VERKOPER OPMERKINGS: Bull kalf MC26-18 aan voet van MC19-34

LOT 9 (F)



MC 230088
MCS MC 230088



Herd Book	SP
Birth date	2023-09-28
Age	2y 9m
Inbreeding	12%
DNA	U17111U008

MC 190061 HH SP
MCS MC 190061
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 210029 SP
MCS MC 210029
Age 4y | AFC 32m | ICP -
Calves 1 | Weighed - | Wean Mat. 106
Avg. WI - | CCB - | CCW -
Calvings: 23-09

MC 120224 HH SP
MCS MC12224
Wean Mat. 91

MC 160059 SP
MCS MC160059
Age 10y | AFC 39m | ICP 588d
Calves 3 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -

FN 121101 SP
FONTEINE FNI21101
Wean Mat. 119

MC 170077 C
MCS MC17077
Age 8y | AFC 40m | ICP 460d
Calves 3 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -

CI 080047 DH SP
CIRCLE C CI080047
FN 090627 SP
FONTEINE FN 09 627
Age 3y | Avg. WI -
Calves - | Weighed -

CI 080047 DH SP
CIRCLE C CI080047
MC 120144 SP
MCS MC12144
Age 13y | Avg. WI -
Calves 9 | Weighed -

KB30X HH SP
KETA KB 30 X
FN 080362 SP
FONTEINE FN 080362
Age 4y | Avg. WI -
Calves 1 | Weighed -

MC 120224 HH SP
MCS MC12224
MC 150093 B
MCS MC15093
Age 2y | Avg. WI -
Calves 1 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 83	
110	Calving Ease Value
86	Calf Growth Value
102	Milk Value
108	Maintenance Value
77	Fertility Value
GROWTH VALUE 74	
CARCASS VALUE 93	
PRODUCTION VALUE 75	



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	96	86	102	84	81	73	104
37%	32%	32%	27%	37%	33%	20%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	78	63	93	75	80	100	109	84
23%	32%	9%	27%	36%	30%	29%	34%	29%

SELLER REMARKS: 5 mnde in kalf van MC13-96



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 10 (M)



MC 220133
MCS MC 220133



Herd Book	SP
Birth date	2022-12-08
Age	3y 6m
Inbreeding	0%
DNA	U26443U006

MC 140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170157 SP
MCS MC170157
Age 8y | AFC 36m | ICP 383d
Calves 6 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -
Calvings: 20-12, 21-11, 22-12,
24-02, 25-02, 26-03

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 91

FN 090652 SP
FONTEINE FN 090652
Age 16y | AFC 31m | ICP (donor)
Calves 11 | Weighed 4 | Wean Mat. 95
Avg. WI 103 | CCB 5.36 | CCW -

MC 110005 SP
MCS MC115
Wean Mat. 107

CFH 080131 SP
ELANDSPRUIT CFH 08 0131
Age 11y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 79
Avg. WI 91 | CCB - | CCW -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULLU CB06505C
Age 20y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017

FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
TLM 020038 SP
KETA TLM020038

CI 070099 DH SP
CIRCLE C CI070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 030002 SP
FONTEINE FN 03 02
Age 12y | Avg. WI -
Calves 4 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 93	
104	Calving Ease Value
95	Calf Growth Value
89	Milk Value
102	Maintenance Value
99	Fertility Value
GROWTH VALUE 93	
CARCASS VALUE 90	
PRODUCTION VALUE 91	



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	101	95	89	101	89	110	101
44%	43%	36%	35%	30%	39%	24%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	92	94	97	83	87	103	106	103
28%	27%	14%	33%	29%	27%	24%	27%	24%

SELLER REMARKS: Skrotem omtrek van 42cm



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 11 (F)



MC 180107
MCS MC18107



Kuddeboek	SP
Geb. dtm	2018-12-11
Oud.	7j 6m
Inteling	0%
DNS	U477735
OEK	34m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	492d

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 250078 (M)
Geb. datum	2025-10-14
Vaar ID	MC 190034

Kalwings: 21-09, 22-10, 24-10, 25-10

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 106

100	Kalfgemak Waarde
108	Kalfgroei Waarde
94	Melk Waarde
101	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 100
PRODUKSIE WAARDE 102

VERKOPER OPMERKINGS: 5 mnd in calf van MC19-34.

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 120144 SP
MCS MC12144
Oud. 13j | OEK - | TKP 482d
Kalwers 9 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -
Kalwings: 15-02, 16-04, 17-05,
18-12, 20-02, 21-02, 23-09, 24-08,
25-08


CB04507A
CHULU CB04507A
Spn Mat. 103

GF020129W SP
GRASMERE GF02129W
Oud. 23j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -

M 090002 SP
MCS ZUMA
Spn Mat. 82

M 080035 SP
MCS M0835
Oud. 11j | OEK 31m | TKP (donor)
Kalwers 8 | Geweeg - | Spn. Mat. 77
Gem. SI - | KKG - | KKS -

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M
GF961240 SP
GRASMERE GF961240
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
B 040001 SP
BORGEN B 04001
CFH 060503 SP
ELANDSPRUIT CFH 06 503
Oud. 17j | Gem. SI -
Kalwers 11 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -



EBV Analise 2026-06-02

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	113	108	94	96	96	97	118
58%	57%	56%	49%	50%	53%	34%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	95	89	98	96	97	108	107	109
34%	47%	16%	54%	49%	46%	45%	48%	45%

LOT 12 (F)



MC 190005
MCS MC1905



Kuddeboek	SP
Geb. dtm	2019-01-04
Oud.	7j 6m
Inteling	0%
DNS	U477738
OEK	33m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	390d

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 260019 (M)
Geb. datum	2026-01-05
Vaar ID	MC 190034

Kalwings: 21-09, 22-10, 23-10, 25-02, 26-01

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 115

113	Kalfgemak Waarde
99	Kalfgroei Waarde
88	Melk Waarde
125	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 88
PRODUKSIE WAARDE 111

VERKOPER OPMERKINGS: 3 in 1. 3 mnd in calf van MS: MC19-34. Bull kalf MC26-19 aan voet van MC19-34

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 120044 SP
MCS MC12144
Oud. 14j | OEK - | TKP 398d
Kalwers 11 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -
Kalwings: 15-02, 16-09, 17-10,
19-01, 20-03, 21-02, 21-12, 22-11,
23-11, 24-12, 26-01

CB04507A
CHULU CB04507A
Spn Mat. 103

GF020129W SP
GRASMERE GF02129W
Oud. 23j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 80

M 080013 SP
MCS M0813
Oud. 4j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 80
Gem. SI - | KKG - | KKS -

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M
GF961240 SP
GRASMERE GF961240
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -



EBV Analise 2026-06-02

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	117	99	88	96	91	105	115
60%	58%	57%	51%	53%	54%	38%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	94	91	77	89	90	104	104	123
38%	50%	18%	53%	52%	49%	47%	50%	47%

LOT 13 (F)



MC 240051
MCS MC 240051



Herd Book	SP
Birth date	2024-07-13
Age	1y 11m
Inbreeding	2%
DNA	U22749U021

MC 150066 HH SP
MCS MC 150066
Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 100094 C
MCS MC1094
Age 15y | AFC 36m | ICP -
Calves 12 | Weighed - | Wean Mat. 71
Avg. WI - | CCB - | CCW -
Calvings: 13-10, 14-10, 15-11, 17-01,
18-03, 19-03, 20-02, 21-03,
22-02, 23-03, 24-07, 25-11

MC 110005 SP
MCS MC115
Wean Mat. 107

MC 120035 SP
MCS MC1235
Age 14y | AFC - | ICP 421d
Calves 10 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -

FN 050035 SP
FONTEINE FN 05 0035
Wean Mat. 52

M 070010 B
MCS M0710
Age 10y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 98
Avg. WI 102 | CCB - | CCW -

TLM 020038 SP
KETA TLM020038

CI 070099 DH SP
CIRCLE C C1070099
Age 16y | Avg. WI -
Calves 9 | Weighed -

CI 080047 DH SP
CIRCLE C C1080047

NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Age 6y | Avg. WI -
Calves 3 | Weighed -

TLM 020004 SP
KETA TLM020004 CAESAR

TLM 020030 SP
KETA TLM020030
Age 15y | Avg. WI -
Calves 8 | Weighed -

Z 040058 SP
HLANZENI Z 04 58

TLM 990001 A
TLM 99 01
Age 15y | Avg. WI -
Calves 11 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 94

117	Calving Ease Value
97	Calf Growth Value
88	Milk Value
82	Maintenance Value
103	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 108

PRODUCTION VALUE 98



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	112	97	88	120	100	110	96
40%	46%	34%	33%	25%	39%	23%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	116	123	121	105	109	98	88	82
22%	23%	12%	33%	25%	23%	19%	21%	19%

SELLER REMARKS: Moontlik dragtig van MC13-96



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 14 (F)



MC 240040
MCS MC 240040



Herd Book	SP
Birth date	2024-04-27
Age	2y 2m
Inbreeding	0%
DNA	U19536U002

MCX 140656 HH SP
MAMBUSHI MCX 140656
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 130009 C
MCS MC139
Age 13y | AFC 33m | ICP 393d
Calves 10 | Weighed - | Wean Mat. 100
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-10, 17-10, 18-12,
19-12, 21-02, 22-02, 23-03, 24-04,
25-06

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 91

FN 090652 SP
FONTEINE FN 090652
Age 16y | AFC 31m | ICP (donor)
Calves 11 | Weighed 4 | Wean Mat. 95
Avg. WI 103 | CCB 5.36 | CCW -

CI 080047 DH SP
CIRCLE C C1080047
Wean Mat. 116

BOS 090082 B
BOS-BLANCO BOS0982
Age 16y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -

GF02159W SP
GRASMERE GF02159W

CB06505C SP
CHULU CB06505C
Age 20y | Avg. WI -
Calves - | Weighed -

HVT 970017 SP
OUTSPAN HVT970017

FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1

TLM 020001 SP
KETA TLM020001 - BUFFEL

KB5A DH SP
KETA KB 5 A
Age 15y | Avg. WI 113
Calves 6 | Weighed 1

DVB 040003 SP
DIAMANT-V 0403

BOS 070002 A
BOS 070002
Age 10y | Avg. WI -
Calves 6 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 93

101	Calving Ease Value
95	Calf Growth Value
93	Milk Value
102	Maintenance Value
99	Fertility Value

GROWTH VALUE 82

CARCASS VALUE 90

PRODUCTION VALUE 86



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	100	95	93	83	98	104	96
43%	43%	36%	34%	28%	39%	25%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	81	75	97	81	84	101	101	106
26%	25%	12%	34%	27%	25%	23%	25%	23%

SELLER REMARKS: 3 mnde in kalf van MC19-118



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 15 (F)



MC 230079
MCS MC 230079

Kuddeboek	SP
Geb. dtm	2023-09-16
Oud.	2j 9m
Inteling	6%
DNS	U1711U002



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	94
105	Kalfgemak Waarde
99	Kalfgroei Waarde
100	Melk Waarde
93	Onderhoudswaarde
93	Vrugbaarheidswaarde
GROEI WAARDE	100
KARKAS WAARDE	102
PRODUKSIE WAARDE	94

VERKOPER OPMERKINGS: 5 mnde in kalf van MC20-29

MC 150066 HH SP
MCS MC 150066
Spn Mat. 106

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 160086 SP
MCS MC 16-86
Oud. 9j | OEK 36m | TKP 378d
Kalwers 6 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -
Kalwings: 19-10, 20-12, 21-11,
22-10, 23-09, 24-12

MC 110005 SP
MCS MC115
Spn Mat. 107

MC 120035 SP
MCS MC1235
Oud. 14j | OEK - | TKP 421d
Kalwers 10 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS -

MC 120224 HH SP
MCS MC12224
Spn Mat. 91

MC 130150 SP
MCS MC13150
Oud. 12j | OEK 34m | TKP 400d
Kalwers 9 | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG 6.94 | KKS -

TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
FN 090627 SP
FONTEINE FN 09 627
Oud. 3j | Gem. SI -
Kalwers - | Geweeg -
TLM 030012 SP
KETA TLM030012
MC 110093 SP
MCS MC1193
Oud. 13j | Gem. SI -
Kalwers 7 | Geweeg -



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	96	99	100	109	85	102	102
39%	40%	34%	29%	26%	39%	22%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	105	105	106	101	102	104	93	78
22%	23%	11%	29%	25%	22%	20%	23%	20%

LOT 16 (F)



MC 240029
MCS MC 240029

Kuddeboek	SP
Geb. dtm	2024-02-27
Oud.	2j 4m
Inteling	0%
DNS	U17680U008



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	103
99	Kalfgemak Waarde
101	Kalfgroei Waarde
91	Melk Waarde
116	Onderhoudswaarde
98	Vrugbaarheidswaarde
GROEI WAARDE	92
KARKAS WAARDE	95
PRODUKSIE WAARDE	99

VERKOPER OPMERKINGS: 2 mnde in kalf van MC13-96

MC 140656 HH SP
MAMBUSHI MXM 140656
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 170069 SP
MCS MC 170069
Oud. 8j | OEK 29m | TKP 450d
Kalwers 5 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 20-03, 21-10, 22-12,
24-02, 25-02

MXM110888 SP
MAMBUSHI 11-0888
Spn Mat. 91

FN 090652 SP
FONTEINE FN 090652
Oud. 16j | OEK 31m | TKP (donor)
Kalwers 11 | Geweeg 4 | Spn. Mat. 95
Gem. SI 103 | KKG 5.36 | KKS -

SS 110031 SP
SANDSONIA SAMURAI
Spn Mat. 96

MHB 100005 SP
MOLL'S-HOOP JACKIE
Oud. 12j | OEK 20m | TKP (donor)
Kalwers 9 | Geweeg 4 | Spn. Mat. 95
Gem. SI 98 | KKG 8.5 | KKS 55

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULLU CB06505C
Oud. 20j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
SS 080061 SP
SANDSONIA KOBRA SS080061
SS 060003 SP
SANDSONIA DIANNA
Oud. 17j | Gem. SI 101
Kalwers 7 | Geweeg 1
TLM 020003 SP
KETA VOORSLAG
MHB 050006 SP
MOLL'S-HOOP JACKIE
Oud. 12j | Gem. SI 111
Kalwers 7 | Geweeg 4



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	98	101	91	88	94	102	102
46%	45%	40%	38%	35%	39%	25%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	88	89	86	97	94	104	112	110
32%	32%	15%	38%	34%	32%	31%	33%	31%

LOT 17 (F)



MC 180054
MCS MC1854



Herd Book	SP
Birth date	2018-07-24
Age	7y 11m
Inbreeding	0%
DNA	U477690
AFC	36m
Calves	5
Weighed	0
Avg. WI	-
ICP	382d

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VS 120022 C
VANREE VS120022
Age 13y | AFC 24m | ICP 469d
Calves 9 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 14-10, 16-08, 17-07,
18-07, 19-10, 21-01, 21-12, 23-01,
25-01

CB04507A
CHULLU CB04507A
Wean Mat. 103

GF020129W SP
GRASMERE GF020129W
Age 23y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -

NBOR060068 SP
NTABA NYONI 0668 - MANDOZA
Wean Mat. 107

LP 090002 B
KLEIN ZUURBRON LP 090002
Age 5y | AFC 23m | ICP -
Calves 3 | Weighed - | Wean Mat. 110
Avg. WI - | CCB - | CCW -

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Age 28y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMERE GF95123M
GF961240 SP
GRASMERE GF961240
Age 17y | Avg. WI -
Calves 4 | Weighed -
2812 PBD
GIANNI 2812
KPO936 PBD
KE OL PEJETA 936
Age 28y | Avg. WI -
Calves - | Weighed -
TLM 030004 SP
KETA TLM 03 4 - MUSCLE KING
LP 050531 A
LP 05 531
Age 8y | Avg. WI -
Calves 6 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 250074 (F)
Birth Date	2025-09-25
Sire ID	MC 190034

Calvings: 21-07, 22-06, 23-10, 24-08, 25-09



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


COW VALUE 116

105	Calving Ease Value
104	Calf Growth Value
99	Milk Value
106	Maintenance Value
110	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 105

PRODUCTION VALUE 113



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	100	104	99	95	101	112	108
53%	51%	51%	44%	46%	47%	31%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	101	102	94	112	109	112	99	118
29%	44%	12%	47%	46%	43%	42%	45%	42%

SELLER REMARKS: 5 mnd in calf van MS: MC19-34

LOT 18 (F)



MC 240045
MCS MC 240045



Herd Book	SP
Birth date	2024-06-10
Age	2y
Inbreeding	1%
DNA	U19536U003

MXM 140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 140143 SP
MCS MC14143
Age 11y | AFC 35m | ICP 406d
Calves 7 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -
Calvings: 17-10, 18-10, 19-10,
20-09, 22-08, 23-07, 24-06

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 91

FN 090652 SP
FONTEINE FN 090652
Age 16y | AFC 31m | ICP (donor)
Calves 11 | Weighed 4 | Wean Mat. 95
Avg. WI 103 | CCB 5.36 | CCW -

TLM 020011 SP
KETA TLM 02 11
Wean Mat. 110

M 080013 SP
MCS M0813
Age 4y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULLU CB06505C
Age 20y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
KPO791 PBD
KE OL PEJETA KPO 791
K6K2748 PBD
KE MOGWOONI K6K2748
Age 36y | Avg. WI -
Calves 1 | Weighed -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 110

121	Calving Ease Value
79	Calf Growth Value
91	Milk Value
128	Maintenance Value
110	Fertility Value

GROWTH VALUE 81

CARCASS VALUE 79

PRODUCTION VALUE 102



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
115	112	79	91	99	105	111	103
45%	43%	38%	37%	29%	40%	24%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	79	76	72	68	75	99	102	110
28%	26%	12%	36%	28%	25%	22%	25%	22%

SELLER REMARKS: 4 mnde in calf van MC20-29

LOT 19 (F)



MC 240056
MCS MC 240056

Kuddeboek	SP
Geb. dtm	2024-07-29
Oud.	1j 11m
Inteling	0%
DNS	U22749U022



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MC 150066 HH SP
MCS MC 150066
Spn Mat. 106

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 150154 SP
MCS MC150154
Oud. 10j | OEK 34m | TKP 359d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -
Kalwings: 18-09, 19-10, 20-08,
21-07, 22-08, 23-08, 24-07, 25-07

MC 110005 SP
MCS MC115
Spn Mat. 107

MC 120035 SP
MCS MC1235
Oud. 14j | OEK - | TKP 421d
Kalwers 10 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS -

MC 150154 SP
MCS MC150154
Oud. 10j | OEK 34m | TKP 359d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -
Kalwings: 18-09, 19-10, 20-08,
21-07, 22-08, 23-08, 24-07, 25-07

CFH 050132 DH SP
ELANDSPRUIT CFH050132
Oud. 10j | OEK 29m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG - | KKS -

TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF020129W
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003
Z 980026 SP
HLANZENI Z980026
Oud. 16j | Gem. SI 110
Kalwers 5 | Geweeg 1

KOEIWAARDE 105

109	Kalfgemak Waarde
99	Kalfgroei Waarde
98	Melk Waarde
89	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 103

PRODUKSIE WAARDE 107



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	107	99	98	110	102	114	104
43%	44%	40%	36%	33%	41%	25%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	113	111	111	106	107	102	89	98
26%	31%	11%	36%	32%	30%	28%	30%	28%

VERKOPER OPMERKINGS: 5 mnde in kalf van MC13-96

LOT 20 (M)



MC 220068
MCS MC 220068

Kuddeboek	SP
Geb. dtm	2022-09-20
Oud.	3j 9m
Inteling	8%
DNS	U26443U009



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MC 180045 SP
MCS MC1845
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JCB 150147 SP
JODAN JCB 150147
Oud. 10j | OEK 36m | TKP 442d
Kalwers 7 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -
Kalwings: 18-09, 20-02, 21-08,
22-09, 23-09, 24-11, 25-12

CI 080047 DH SP
CIRCLE C C1080047
Spn Mat. 116

MC 120144 SP
MCS MC12144
Oud. 13j | OEK - | TKP 482d
Kalwers 9 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

LM 120005 SP
LIA-MAR LMI20005
Spn Mat. 105

MC 120090 SP
MCS MC1290
Oud. 5j | OEK 37m | TKP 383d
Kalwers 2 | Geweeg 2 | Spn. Mat. 82
Gem. SI 100 | KKG - | KKS 49.3

TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Oud. 15j | Gem. SI 113
Kalwers 6 | Geweeg 1
M 090002 SP
MCS ZUMA
M 080035 SP
MCS M0835
Oud. 11j | Gem. SI -
Kalwers 8 | Geweeg -
CI 070046 SP
CIRCLE C C1070046
KB3B DH SP
KETA KB 3 B - NDOLA
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
TLM 020030 SP
KETA TLM020030
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 90

110	Kalfgemak Waarde
78	Kalfgroei Waarde
96	Melk Waarde
120	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 75

KARKAS WAARDE 82

PRODUKSIE WAARDE 82



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	101	78	96	87	96	86	111
43%	37%	39%	33%	23%	35%	24%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	78	71	82	75	76	93	98	89
21%	22%	12%	34%	23%	21%	19%	21%	19%

VERKOPER OPMERKINGS: Skrotem omtrek van 41cm

LOT 21 (F)



MC 230025
MCS MC 230025



Herd Book	SP
Birth date	2023-02-13
Age	3y 4m
Inbreeding	1%
DNA	UI2999U071
AFC	27m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 250201 (M)
Birth Date	2025-05-27
Sire ID	MC 150066

Calvings: 25-05

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE **81**

121	Calving Ease Value
84	Calf Growth Value
86	Milk Value
105	Maintenance Value
82	Fertility Value

GROWTH VALUE **87**

CARCASS VALUE **98**

PRODUCTION VALUE **78**

SELLER REMARKS: 8 mnde in kalf van MS: MC19-118 / MC13-96

MC 120224 HH SP
MCS MC12224
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 180044 SP
VAALKAMDOR ENJ 180044
Age 7y | AFC 33m | ICP 513d
Calves 4 | Weighed - | Wean Mat. 81
Avg. WI - | CCB - | CCW -
Calvings: 21-08, 23-02, 24-12, 25-11


CI 080047 DH SP
CIRCLE C CI080047
Wean Mat. 116

FN 090627 SP
FONTEINE FN 09 627
Age 3y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 74
Avg. WI - | CCB - | CCW -

TV 100005 SP
VALLEYRANCH NICOLAI
Wean Mat. 72

TV 130003 SP
VALLEYRANCH TV 130003
Age 12y | AFC 28m | ICP 381d
Calves 10 | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -

TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Age 15y | Avg. WI 113
Calves 6 | Weighed 1
TLM 040529 SP
KETA TLM040529 - RINKHALS
CI 070007 SP
CIRCLE C CI070007
Age 11y | Avg. WI -
Calves 4 | Weighed -
B 040042 SP
BORGEB B 04 42
B 040017 SP
BORGEB B 04 17
Age 18y | Avg. WI 95
Calves 12 | Weighed 3
TLM 050503 SP
KETA TLM 05 503
TV 100007 SP
VALLEYRANCH AVA
Age 15y | Avg. WI -
Calves 13 | Weighed -



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
117	107	84	86	81	82	82	104
55%	50%	42%	37%	36%	50%	28%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	87	76	94	91	89	101	108	96
29%	33%	13%	38%	35%	31%	28%	32%	28%

LOT 22 (F)



MC 230135
MCS MC 230135



Herd Book	SP
Birth date	2023-11-23
Age	2y 7m
Inbreeding	0%
DNA	UI7111U025

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE **106**

107	Calving Ease Value
92	Calf Growth Value
91	Milk Value
109	Maintenance Value
113	Fertility Value

GROWTH VALUE **91**

CARCASS VALUE **86**

PRODUCTION VALUE **102**

SELLER REMARKS: 6 mnde in kalf van MC19-118

MXM 140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170099 SP
MCS MC17099
Age 8y | AFC 26m | ICP 424d
Calves 6 | Weighed - | Wean Mat. 96
Avg. WI - | CCB - | CCW -
Calvings: 19-12, 21-02, 21-12, 22-11, 23-11, 25-10

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 91

FN 090652 SP
FONTEINE FN 090652
Age 16y | AFC 31m | ICP (donor)
Calves 11 | Weighed 4 | Wean Mat. 95
Avg. WI 103 | CCB 5.36 | CCW -

MC 110005 SP
MCS MC115
Wean Mat. 107

MC 130076 SP
MCS MC1376
Age 12y | AFC 39m | ICP 491d
Calves 7 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULLU CB06505C
Age 20y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C CI070099
Age 16y | Avg. WI -
Calves 9 | Weighed -
M 080009 SP
MCS THABO
CFH 080131 SP
ELANDSPRUIT CFH 08 0131
Age 11y | Avg. WI 91
Calves 7 | Weighed 1



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	100	92	91	104	105	121	101
42%	41%	34%	33%	28%	38%	23%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	90	92	92	81	85	99	104	102
26%	25%	12%	31%	27%	24%	22%	25%	23%

LOT 23 (F)



MC 230143

MCS MC 230143

Kuddeboek	SP
Geb. dtm	2023-11-30
Oud.	2j 7m
Inteling	0%
DNS	U1711U028



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 101	
104	Kalfgemak Waarde
99	Kalfgroei Waarde
95	Melk Waarde
115	Onderhoudswaarde
91	Vrugbaarheidswaarde
GROEI WAARDE 85	
KARKAS WAARDE 96	
PRODUKSIE WAARDE 95	

VERKOPER OPMERKINGS: 5 mnde in kalf van MS: MC19-118 / MC20-29

MXM 140656 HH SP
MAMBUSHI MXM 140656
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 130068 SP
MCS MC1368
Oud. 13j | OEK 31m | TKP 457d
Kalwers 9 | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -
Kalwings: 15-12, 17-06, 18-07,
19-09, 21-01, 21-12, 22-11, 23-11,
25-12


MXM110888 SP
MAMBUSHI 11-0888
Spn Mat. 91

FN 090652 SP
FONTEINE FN 090652
Oud. 16j | OEK 31m | TKP (donor)
Kalwers 11 | Geweeg 4 | Spn. Mat. 95
Gem. SI 103 | KKG 5.36 | KKS -

M 090012 SP
MCS JACOB
Spn Mat. 123

MC 100082 C
MCS MC1082
Oud. 14j | OEK - | TKP (donor)
Kalwers 8 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG - | KKS -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Oud. 20j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
B 040001 SP
BORGEN B 04001
Z 060034 SP
HLANZENI Z060034
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -
TLM 050512 SP
KETA TLM050512 - ADES
CFH 070481 B
ELANDSPRUIT CFH07481
Oud. 10j | Gem. SI -
Kalwers 7 | Geweeg -



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	101	99	95	91	97	95	93
42%	40%	34%	32%	25%	35%	21%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	86	81	87	85	92	101	108	118
24%	23%	12%	32%	25%	22%	21%	23%	21%

LOT 24 (F)



MC 230082

MCS MC 230082

Kuddeboek	SP
Geb. dtm	2023-09-18
Oud.	2j 9m
Inteling	5%
DNS	U1711U004



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 95	
112	Kalfgemak Waarde
85	Kalfgroei Waarde
97	Melk Waarde
111	Onderhoudswaarde
96	Vrugbaarheidswaarde
GROEI WAARDE 83	
KARKAS WAARDE 94	
PRODUKSIE WAARDE 90	

VERKOPER OPMERKINGS: 8 mnde in kalf van MC19-118



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	105	85	97	99	96	88	109
42%	35%	36%	30%	28%	33%	19%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	85	85	91	92	91	100	100	93
26%	27%	10%	31%	28%	26%	15%	16%	15%

MC 180067 SP
MCS MC 180067
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 200129 SP
MCS MC 200129
Oud. 4j | OEK 33m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 23-09

BA 100168 SP
BA RENOSTER
Spn Mat. 95

JCB 150147 SP
JODAN JCB 150147
Oud. 10j | OEK 36m | TKP 442d
Kalwers 7 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

MC 140128 SP
MCS MC14128
Spn Mat. 93

LM 110004 SP
LIA-MAR LM 110004
Oud. 15j | OEK 26m | TKP -
Kalwers 12 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG - | KKS -

B 040042 SP
BORGEN B 04 42
BA 040009 SP
BA KORTLIES
Oud. 15j | Gem. SI -
Kalwers 10 | Geweeg -
LM 120005 SP
LIA-MAR LM120005
MC 120090 SP
MCS MC1290
Oud. 5j | Gem. SI 100
Kalwers 2 | Geweeg 2
CI 080047 DH SP
CIRCLE C C1080047
MC 120144 SP
MCS MC12144
Oud. 13j | Gem. SI -
Kalwers 9 | Geweeg -
CI 070046 SP
CIRCLE C C1070046
KB3B DH SP
KETA KB 3 B - NDOLA
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

LOT 25 (F)



MC 230139
MCS MC 230139



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-11-25
Age	2y 7m
Inbreeding	2%
DNA	U1711U026

MXM 140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 110086 SP
MCS MC1186
Age 14y | AFC - | ICP 441d
Calves 10 | Weighed - | Wean Mat. 75
Avg. WI - | CCB - | CCW -

Calvings: 14-02, 15-10, 16-10,
17-10, 19-01, 20-02, 21-02, 22-02,
23-11, 25-01

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 91

FN 090652 SP
FONTEINE FN 090652
Age 16y | AFC 31m | ICP (donor)
Calves 11 | Weighed 4 | Wean Mat. 95
Avg. WI 103 | CCB 5.36 | CCW -

TLM 030021 SP
KETA TLM030021
Wean Mat. 81

M 080013 SP
MCS M0813
Age 4y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULLU CB06505C
Age 20y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
K6K2588 PBD
KE MOGWOOONI K6K2588
KPO961 PBD
KE OL PEJETA KPO 961
Age 36y | Avg. WI -
Calves 1 | Weighed -
TLM 030012 SP
KETA TLM030012
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Age 10y | Avg. WI -
Calves 3 | Weighed -

COW VALUE 91

100	Calving Ease Value
94	Calf Growth Value
80	Milk Value
120	Maintenance Value
92	Fertility Value

GROWTH VALUE 85

CARCASS VALUE 82

PRODUCTION VALUE 87



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	101	94	80	102	83	104	96
47%	46%	39%	38%	31%	39%	25%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	88	85	83	82	86	100	99	110
28%	28%	15%	38%	30%	27%	23%	26%	23%

SELLER REMARKS: 5 mnd in calf van MC19-118

LOT 26 (F)



MC 180113
MCS MC18113



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Last Calf	
Calf ID	MC 250092 (F)
Birth Date	2025-10-30
Sire ID	MC 190034

Calvings: 21-10, 22-10, 23-11, 25-10

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-12-09
Age	7y 6m
Inbreeding	2%
DNA	U477714
AFC	34m
Calves	4
Weighed	0
Avg. WI	-
ICP	497d

MC 100093 SP
MCS MC10193
Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

S 120023 SP
SOETWATER S1223
Age 7y | AFC 34m | ICP 406d
Calves 5 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

Calvings: 15-08, 16-12, 17-10,
18-12, 20-01

TLM 020038 SP
KETA TLM020038
Wean Mat. 70

NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Age 6y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 102
Avg. WI - | CCB 6.23 | CCW -

TLM 050527 SP
KETA TLM050527
Wean Mat. 74

CFH 080341 SP
ELANDSPRUIT CFH 08 0341
Age 9y | AFC 35m | ICP -
Calves 5 | Weighed - | Wean Mat. 87
Avg. WI - | CCB - | CCW -

K6K2738 PBD
KE MOGWOOONI K6K2738
KPO4203 F
KE OL PEJETA KPO 4203
Age 18y | Avg. WI -
Calves - | Weighed -
KPO493 PBD
KE OL PEJETA 493
Z7F2834 F
KE WORAGUS 2834
Age 30y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
GF39T D SP
GRASMERE GF 39T
Age 18y | Avg. WI -
Calves 9 | Weighed -
HVT 950005 SP
OUTSPAN HVT 95 05
FN 030002 SP
FONTEINE FN 03 02
Age 12y | Avg. WI -
Calves 4 | Weighed -

COW VALUE 94

109	Calving Ease Value
94	Calf Growth Value
82	Milk Value
99	Maintenance Value
104	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 89

PRODUCTION VALUE 95



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	106	94	82	98	109	114	92
48%	45%	39%	36%	28%	48%	29%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	108	116	100	97	97	93	87	92
27%	26%	16%	37%	27%	25%	20%	22%	21%

SELLER REMARKS: 3 in 1. 5 mnd in calf van MC19-34. Bull calf MC25-92 aan voet van MC190034.

LOT 27 (F)



MC 240015
MCS MC 240015

Kuddeboek	SP
Geb. dtm	2024-02-13
Oud.	2j 4m
Inteling	1%
DNS	U1711U045



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM 140656 HH SP
MAMBUSHI MXM 140656
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 170117 SP
MCS MC17117
Oud. 7j | OEK 28m | TKP 474d
Kalwers 4 | Geweeg - | Spn. Mat. 115
Gem. SI - | KKG - | KKS -
Kalwings: 20-03, 21-09, 22-12, 24-02

MXM110888 SP
MAMBUSHI 11-0888
Spn Mat. 91

FN 090652 SP
FONTEINE FN 090652
Oud. 16j | OEK 31m | TKP (donor)
Kalwers 11 | Geweeg 4 | Spn. Mat. 95
Gem. SI 103 | KKG 5.36 | KKS -

FN 121101 SP
FONTEINE FNI21101
Spn Mat. 119

BVB 077058 C
BOSCHVELD BVB 07 7058
Oud. 17j | OEK - | TKP (donor)
Kalwers 14 | Geweeg 1 | Spn. Mat. 105
Gem. SI 102 | KKG - | KKS -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULLU CB06505C
Oud. 20j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
KB30X HH SP
KETA KB 30 X
FN 080362 SP
FONTEINE FN 080362
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -
KB56X SP
KETA KB 56 X
BVB 055010 B
BOSCHVELD BVB 055010
Oud. 20j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE 102

97	Kalfgemak Waarde
99	Kalfgroei Waarde
100	Melk Waarde
111	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 82

KARKAS WAARDE 93

PRODUKSIE WAARDE 95



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	94	99	100	96	102	98	94
42%	40%	35%	34%	26%	37%	22%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	82	76	91	83	87	108	114	106
26%	24%	11%	33%	26%	23%	21%	23%	21%

VERKOPER OPMERKINGS: 6 mnde in kalf van MC20-29

LOT 28 (F)



MC 180124
MCS MC18124

Kuddeboek	SP
Geb. dtm	2018-12-28
Oud.	7j 6m
Inteling	1%
DNS	U477719
OEK	30m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	396d



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Laaste Kalf	
Kalf ID	MC 250103 (M)
Geb. datum	2025-11-08
Vaar ID	MC 190034

Kalwings: 21-07, 22-10, 23-11, 24-12, 25-11

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 140031 SP
MCS MC1431
Oud. 12j | OEK 32m | TKP 389d
Kalwers 9 | Geweeg - | Spn. Mat. 110
Gem. SI - | KKG - | KKS -
Kalwings: 16-10, 17-10, 18-12, 20-01, 21-02, 22-01, 23-01, 24-02, 25-04

CB04507A
CHULLU CB04507A
Spn Mat. 103

GF020129W SP
GRASMERE GF02129W
Oud. 23j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -

CI 080047 DH SP
CIRCLE C CI080047
Spn Mat. 116

MC 100039 SP
MCS MC1039
Oud. 6j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 104
Gem. SI - | KKG - | KKS -

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M
GF96124O SP
GRASMERE GF96124O
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Oud. 15j | Gem. SI 113
Kalwers 6 | Geweeg 1
M 080011 C
MCS M0811
CFH 070255 SP
ELANDSPRUIT GIGI
Oud. 15j | Gem. SI 103
Kalwers 11 | Geweeg 5

KOEIWAARDE 119

101	Kalfgemak Waarde
104	Kalfgroei Waarde
101	Melk Waarde
106	Onderhoudswaarde
117	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE 99

PRODUKSIE WAARDE 114



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	107	104	101	83	109	115	111
55%	54%	53%	46%	48%	52%	35%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	96	86	93	100	97	113	100	109
32%	46%	14%	48%	48%	45%	44%	47%	44%

VERKOPER OPMERKINGS: 3 in 1. 4 mnd in kalf van MS: MC19-34. Bull kalf MC25-103 aan voet van MC19-34.

LOT 29 (F)



MC 240019
MCS MC 240019



Herd Book	SP
Birth date	2024-01-13
Age	2y 5m
Inbreeding	3%
DNA	U17111U048

MC 190034 HH SP
MCS MC1934
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 210048 SP
MCS MC 210048
Age 5y | AFC 31m | ICP 524d
Calves 2 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -
Calvings: 24-01, 25-06

FN 121101 SP
FONTEINE FN121101
Wean Mat. 119

MC 110085 SP
MCS MC1185
Age 12y | AFC - | ICP 491d
Calves 6 | Weighed 1 | Wean Mat. 99
Avg. WI 107 | CCB - | CCW -

MC 150013 HH SP
MCS MC1513
Wean Mat. 82

MC 110065 SP
MCS MC1165
Age 15y | AFC - | ICP (donor)
Calves 10 | Weighed 1 | Wean Mat. 123
Avg. WI 103 | CCB - | CCW -

KB30X HH SP
KETA KB 30 X
FN 080362 SP
FONTEINE FN 080362
Age 4y | Avg. WI -
Calves 1 | Weighed -
TLM 020011 SP
KETA TLM 02 11
M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
MXM100484 HH SP
MAMBUSHI 10-0484MXM
MC 120044 SP
MCS MC1244
Age 14y | Avg. WI -
Calves 11 | Weighed -
CI 080047 DH SP
CIRCLE C CI080047
M 090008 SP
MCS M0908
Age 10y | Avg. WI -
Calves - | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 106

117	Calving Ease Value
81	Calf Growth Value
106	Milk Value
125	Maintenance Value
97	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 85

PRODUCTION VALUE 100



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	108	81	106	107	95	90	116
37%	38%	35%	33%	25%	34%	20%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	87	85	76	79	80	98	103	102
22%	23%	10%	33%	24%	22%	20%	22%	20%

SELLER REMARKS: 5 mnde in kalf van MC19-118



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 30 (F)



MC 230168
MCS MC 230168



Herd Book	SP
Birth date	2023-10-02
Age	2y 9m
Inbreeding	1%
DNA	U17111U035

MC 150013 HH SP
MCS MC1513
Wean Mat. 82

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170060 C
MCS MC 170060
Age 8y | AFC 29m | ICP 410d
Calves 6 | Weighed - | Wean Mat. 88
Avg. WI - | CCB - | CCW -
Calvings: 20-02, 21-04, 22-11, 23-10, 24-09, 25-09

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 93

MC 120044 SP
MCS MC1244
Age 14y | AFC - | ICP 398d
Calves 11 | Weighed - | Wean Mat. 83
Avg. WI - | CCB - | CCW -

M 090002 SP
MCS ZUMA
Wean Mat. 82

MC 100036 B
MCS MC1036
Age 8y | AFC 30m | ICP -
Calves 6 | Weighed 2 | Wean Mat. 89
Avg. WI 95 | CCB - | CCW -

CB04507A
CHULLU CB04507A
GF020129W SP
GRASMERE GF02129W
Age 23y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
CFH 060503 SP
ELANDSPRUIT CFH 06 503
Age 17y | Avg. WI -
Calves 11 | Weighed -
B 050122 SP
BORGEN B 05 122
M 080007 A
MCS M0807
Age 8y | Avg. WI 104
Calves 6 | Weighed 2

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 101

111	Calving Ease Value
94	Calf Growth Value
85	Milk Value
122	Maintenance Value
94	Fertility Value

GROWTH VALUE 89

CARCASS VALUE 85

PRODUCTION VALUE 97



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	107	94	85	96	88	93	112
46%	50%	43%	44%	34%	44%	26%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	93	96	80	86	89	90	101	116
28%	31%	13%	45%	33%	31%	27%	29%	27%

SELLER REMARKS: 5 mnde in kalf van MC20-29



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 31 (M)



MC 220103
MCS MC 220103



Kuddeboek	SP
Geb. dtm	2022-10-28
Oud.	3j 8m
Inteling	5%
DNS	U26443U004

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MC 150066 HH SP
MCS MC 150066
Spn Mat. 106

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 140144 SP
MCS MC14144
Oud. 11j | OEK 35m | TKP 473d
Kalwers 7 | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG - | KKS -
Kalwings: 17-10, 19-04, 20-05,
21-07, 22-10, 24-01, 25-07

MC 110005 SP
MCS MC115
Spn Mat. 107

MC 120035 SP
MCS MC1235
Oud. 14j | OEK - | TKP 421d
Kalwers 10 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS -

MB 100328 SP
MON-BIJOU SMALDEEL KING
Spn Mat. 107

MC 120073 SP
MCS MC1273
Oud. 14j | OEK - | TKP 401d
Kalwers 11 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -

TLM 020038 SP
KETA TLM020038
CI 070099 DH SP
CIRCLE C C1070099
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Oud. 6j | Gem. SI -
Kalwers 3 | Geweeg -
HVT 950021 SP
OUTSPAN HVT950021
MB 070303 SP
MON-BIJOU SMALDEEL MIETIE
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -
CI 080047 DH SP
CIRCLE C C1080047
CFH 050386 SP
ELANDSPRUIT CFH 05 386
Oud. 10j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE 101	
116	Kalfgemak Waarde
93	Kalfgroei Waarde
107	Melk Waarde
94	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 107	
KARKAS WAARDE 103	
PRODUKSIE WAARDE 103	



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	118	93	107	113	92	101	102
38%	40%	34%	32%	24%	38%	23%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	111	108	104	102	104	105	95	84
22%	22%	11%	32%	24%	22%	19%	21%	19%

VERKOPER OPMERKINGS: Skrotem omtrek van 39cm

LOT 32 (F)



MC 240074
MCS MC 240074



Kuddeboek	SP
Geb. dtm	2024-09-26
Oud.	1j 9m
Inteling	7%
DNS	U22749U035

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

MC 190119 HH SP
MCS MC 190119
Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 210178 SP
MCS MC 210178
Oud. 4j | OEK 34m | TKP 384d
Kalwers 2 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -
Kalwings: 24-09, 25-10

MC 140128 SP
MCS MC14128
Spn Mat. 93

MC 130080 SP
MCS MC1380
Oud. 12j | OEK 37m | TKP 374d
Kalwers 9 | Geweeg - | Spn. Mat. 77
Gem. SI - | KKG - | KKS -

M 090002 SP
MCS ZUMA
Spn Mat. 82

MC 180083 SP
MCS MC1883
Oud. 7j | OEK 27m | TKP 375d
Kalwers 6 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

CI 080047 DH SP
CIRCLE C C1080047
MC 120144 SP
MCS MC12144
Oud. 13j | Gem. SI -
Kalwers 9 | Geweeg -
M 080009 SP
MCS THABO
MC 100102 SP
MCS MC10102
Oud. 15j | Gem. SI -
Kalwers 10 | Geweeg -
B 040001 SP
BORGEN B 04001
CFH 060503 SP
ELANDSPRUIT CFH 06 503
Oud. 17j | Gem. SI -
Kalwers 11 | Geweeg -
MC 120224 HH SP
MCS MC12224
MC 150175 SP
MCS MC150175
Oud. 7j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 93	
127	Kalfgemak Waarde
73	Kalfgroei Waarde
79	Melk Waarde
128	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 65	
KARKAS WAARDE 75	
PRODUKSIE WAARDE 81	



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
120	114	73	79	91	99	94	102
35%	33%	31%	28%	22%	33%	21%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
75	72	67	73	67	71	86	97	95
22%	21%	12%	29%	22%	20%	18%	19%	18%

VERKOPER OPMERKINGS: 2 mnde in kalf van MC13-96

LOT 33 (F)



MC 220122
MCS MC 220122



Herd Book	SP
Birth date	2022-11-07
Age	3y 7m
Inbreeding	0%
DNA	U12999U045
AFC	26m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 250204 (F)
Birth Date	2025-01-21
Sire ID	MC 200029

Calvings: 25-01

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 104

103	Calving Ease Value
96	Calf Growth Value
85	Milk Value
120	Maintenance Value
104	Fertility Value

GROWTH VALUE 82

CARCASS VALUE 84

PRODUCTION VALUE 97

MXM 140656 HH SP
MAMBUSHI MXM 140656
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 130029 SP
MCS MC1329
Age 13y | AFC 32m | ICP 360d
Calves 11 | Weighed - | Wean Mat. 85
Avg. WI - | CCB 6.13 | CCW -
Calvings: 15-10, 16-12, 17-10, 19-01,
19-12, 21-01, 21-12, 22-11, 23-09,
24-09, 25-08

MXM110888 SP
MAMBUSHI 11-0888
Wean Mat. 91

FN 090652 SP
FONTEINE FN 090652
Age 16y | AFC 31m | ICP (donor)
Calves 11 | Weighed 4 | Wean Mat. 95
Avg. WI 103 | CCB 5.36 | CCW -

TLM 030012 SP
KETA TLM030012
Wean Mat. 76

NAB 060004 SP
UPPER ELLERSLIE CORNFIELD
Age 6y | AFC - | ICP (donor)
Calves 3 | Weighed - | Wean Mat. 102
Avg. WI - | CCB 6.23 | CCW -

GF02159W SP
GRASMERE GF02159W
CB06505C SP
CHULU CB06505C
Age 20y | Avg. WI -
Calves - | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
K6K2738 PBD
KE MOGWOONI K6K2738
KPO4202 F
KE OL PEJETA KPO 4202
Age 36y | Avg. WI -
Calves - | Weighed -
KPO493 PBD
KE OL PEJETA 493
Z7F2834 F
KE WORAGUS 2834
Age 30y | Avg. WI -
Calves - | Weighed -



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	98	96	85	100	99	109	107
48%	50%	38%	36%	28%	47%	24%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	83	87	83	81	87	96	98	104
26%	25%	11%	36%	27%	24%	21%	23%	21%

SELLER REMARKS: 7 mnde in kalf van MS: MC19-61 / MC13-96

LOT 34 (F)



MC 180108
MCS MC18108



Herd Book	SP
Birth date	2018-12-11
Age	7y 6m
Inbreeding	1%
DNA	UA477736
AFC	34m
Calves	4
Weighed	0
Avg. WI	-
ICP	467d

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Last Calf	
Calf ID	MC 250061 (F)
Birth Date	2025-08-02
Sire ID	MC 190034

Calvings: 21-10, 23-08, 24-08, 25-08

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 103

99	Calving Ease Value
108	Calf Growth Value
97	Milk Value
95	Maintenance Value
101	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 104

PRODUCTION VALUE 101

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 130009 C
MCS MC1319
Age 13y | AFC 33m | ICP 393d
Calves 10 | Weighed - | Wean Mat. 100
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-10, 17-10, 18-12,
19-12, 21-02, 22-02, 23-03, 24-04,
25-06

CB04507A
CHULU CB04507A
Wean Mat. 103

GF020129W SP
GRASMERE GF020129W
Age 23y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -

CI 080047 DH SP
CIRCLE C CI080047
Wean Mat. 116

BOS 090082 B
BOS-BLANCO BOS0982
Age 16y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Age 28y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMERE GF95123M
GF96124O SP
GRASMERE GF96124O
Age 17y | Avg. WI -
Calves 4 | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
KB5A DH SP
KETA KB 5 A
Age 15y | Avg. WI 113
Calves 6 | Weighed 1
DVB 040003 SP
DIAMANT-V 0403
BOS 070002 A
BOS 070002
Age 10y | Avg. WI -
Calves 6 | Weighed -



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	106	108	97	85	99	97	109
55%	54%	53%	46%	49%	52%	34%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	98	92	103	106	102	112	97	106
32%	46%	14%	49%	48%	45%	44%	47%	44%

SELLER REMARKS: 7 mnd in kalf van MS: MC19-34

LOT 35 (F)



MC 180063
MCS MC180063

Kuddeboek	SP
Geb. dtm	2018-09-04
Oud.	7j 9m
Inteling	0%
DNS	U477693
OEK	37m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	380d



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Laaste Kalf	
Kalf ID	MC 250120 (M)
Geb. datum	2025-12-05
Vaar ID	MC 190034

Kalwings: 21-10, 22-10, 23-12, 24-12, 25-12

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 130146 SP
MCS MC13146
Oud. 12j | OEK 39m | TKP 688d
Kalwers 4 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -
Kalwings: 17-03, 18-09, 19-11, 22-10

CB04507A
CHULU CB04507A
Spn Mat. 103

GF020129W SP
GRASMERE GF02129W
Oud. 23j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -

TLM 030012 SP
KETA TLM030012
Spn Mat. 76

MC 110093 SP
MCS MC1193
Oud. 13j | OEK - | TKP 521d
Kalwers 7 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M
GF961240 SP
GRASMERE GF961240
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
K6K2738 PBD
KE MOGWOONI K6K2738
KPO4202 F
KE OL PEJETA KPO 4202
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
M 080009 SP
MCS THABO
M 090005 SP
MCS M0905
Oud. 16j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 109

98	Kalfgemak Waarde
107	Kalfgroei Waarde
93	Melk Waarde
116	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 94

PRODUKSIE WAARDE 105



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	101	107	93	95	89	101	111
56%	54%	54%	46%	49%	52%	34%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	94	95	86	98	96	107	100	101
32%	46%	14%	49%	48%	45%	43%	46%	43%

VERKOPER OPMERKINGS: 3 in 1. 4 mnd in calf van MS: MC19-34. Bull kalf MC25-120 aan voet van MC19-34.

LOT 36 (F)



MC 230167
MCS MC230167

Kuddeboek	SP
Geb. dtm	2023-10-15
Oud.	2j 8m
Inteling	1%
DNS	U17111U034



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MC 150013 HH SP
MCS MC1513
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 170058 C
MCS MC 170058
Oud. 8j | OEK 40m | TKP 448d
Kalwers 5 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -
Kalwings: 21-01, 22-03, 23-10, 24-09, 25-12

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 93

MC 120044 SP
MCS MC1244
Oud. 14j | OEK - | TKP 398d
Kalwers 11 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

M 090002 SP
MCS ZUMA
Spn Mat. 82

MC 090040 B
MCS MC090040
Oud. 8j | OEK 38m | TKP -
Kalwers 5 | Geweeg 1 | Spn. Mat. 94
Gem. SI 110 | KKG - | KKS -

CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Oud. 4j | Gem. SI -
Kalwers - | Geweeg -
B 040001 SP
BORGEN B 04001
CFH 060503 SP
ELANDSPRUIT CFH 06 503
Oud. 17j | Gem. SI -
Kalwers 11 | Geweeg -
FN 050035 SP
FONTEINE FN 05 0035
TLM 990016 A
TLM 99 16
Oud. 11j | Gem. SI -
Kalwers 7 | Geweeg -

KOEIWAARDE 96

86	Kalfgemak Waarde
106	Kalfgroei Waarde
87	Melk Waarde
123	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE 85

KARKAS WAARDE 84

PRODUKSIE WAARDE 90



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	99	106	87	100	80	89	111
51%	49%	42%	42%	34%	44%	26%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	90	92	79	81	84	89	104	113
28%	32%	13%	44%	33%	31%	28%	29%	28%

VERKOPER OPMERKINGS: 6 mnde in calf van MC13-96

LOT 37 (M)



MC 220054
MCS MC 220054



Herd Book	SP
Birth date	2022-08-07
Age	3y 10m
Inbreeding	1%
DNA	U26443U007

MC 130043 SP
MCS MC1343
Wean Mat. 72

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 170051 SP
MCS MC 170051
Age 8y | AFC 32m | ICP 399d
Calves 5 | Weighed - | Wean Mat. 100
Avg. WI - | CCB - | CCW -
Calvings: 20-04, 21-07, 22-08, 23-08, 24-08

TLM 030012 SP
KETA TLM030012
Wean Mat. 76

CI 080071 SP
CIRCLE C CI080071
Age 13y | AFC 26m | ICP (donor)
Calves 9 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

MC 120224 HH SP
MCS MC12224
Wean Mat. 91

B 090482 SP
BORGEN 09482
Age 16y | AFC 30m | ICP (donor)
Calves 12 | Weighed - | Wean Mat. 109
Avg. WI - | CCB 6.63 | CCW -

K6K2738 PBD
KE MOGWOONI K6K2738
KPO4202 F
KE OL PEJETA KPO 4202
Age 36y | Avg. WI -
Calves - | Weighed -
TLM 050525 SP
KETA TLM050525 - INCREDIBULL
TLM 020035 DH SP
KETA THARINA
Age 17y | Avg. WI 95
Calves 11 | Weighed 6
CI 080047 DH SP
CIRCLE C CI080047
FN 090627 SP
FONTEINE FN 09 627
Age 3y | Avg. WI -
Calves - | Weighed -
B 030029 SP
BORGEN B03029
EP 040008 SP
EMBRIO PLUS EP04008
Age 8y | Avg. WI -
Calves 2 | Weighed -

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 89

103	Calving Ease Value
85	Calf Growth Value
86	Milk Value
112	Maintenance Value
101	Fertility Value

GROWTH VALUE 80

CARCASS VALUE 90

PRODUCTION VALUE 82



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	89	85	86	106	102	106	99
47%	47%	41%	37%	35%	43%	25%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	85	88	91	85	89	96	107	94
28%	31%	11%	41%	34%	30%	27%	31%	27%

SELLER REMARKS: Skrotem omtrek van 40cm



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 38 (F)



MC 240020
MCS MC 240020



Herd Book	SP
Birth date	2024-01-02
Age	2y 6m
Inbreeding	14%
DNA	U17111U049

MC 190034 HH SP
MCS MC1934
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MC 210026 SP
MCS MC 210026
Age 5y | AFC 36m | ICP 556d
Calves 2 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 24-01, 25-07

FN 121101 SP
FONTEINE FN121101
Wean Mat. 119

MC 110085 SP
MCS MC1185
Age 12y | AFC - | ICP 491d
Calves 6 | Weighed 1 | Wean Mat. 99
Avg. WI 107 | CCB - | CCW -

FN 121101 SP
FONTEINE FN121101
Wean Mat. 119

MC 170058 C
MCS MC 170058
Age 8y | AFC 40m | ICP 448d
Calves 5 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -

KB30X HH SP
KETA KB 30 X
FN 080362 SP
FONTEINE FN 080362
Age 4y | Avg. WI -
Calves 1 | Weighed -
TLM 020011 SP
KETA TLM 02 11
M 080013 SP
MCS M0813
Age 4y | Avg. WI -
Calves - | Weighed -
KB30X HH SP
KETA KB 30 X
FN 080362 SP
FONTEINE FN 080362
Age 4y | Avg. WI -
Calves 1 | Weighed -
M 090002 SP
MCS ZUMA
MC 090040 B
MCS MC090040
Age 8y | Avg. WI 110
Calves 5 | Weighed 1

MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340

COW VALUE 96

106	Calving Ease Value
87	Calf Growth Value
107	Milk Value
123	Maintenance Value
85	Fertility Value

GROWTH VALUE 85

CARCASS VALUE 88

PRODUCTION VALUE 90



EBV Analysis 2026-06-02

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	104	87	107	112	91	80	106
37%	36%	33%	32%	23%	32%	20%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	88	84	78	74	79	98	113	90
22%	21%	10%	31%	22%	20%	17%	19%	18%

SELLER REMARKS: 4 mnde in kalf van MC19-118



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 39 (F)



MC 240059
MCS MC 240059

Kuddeboek	SP
Geb. dtm	2024-03-28
Oud.	2j 3m
Inteling	1%
DNS	UI9536U008



MC TRUST

Boshof, Free State
0834071485
mcvstraten@gmail.com

P/A M.C. VAN STRATEN, POS-
BUS 28, BOSHOF, 8340



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 110	
113	Kalfgemak Waarde
97	Kalfgroei Waarde
86	Melk Waarde
123	Onderhoudswaarde
99	Vrugbaarheidswaarde
GROEI WAARDE 92	
KARKAS WAARDE 94	
PRODUKSIE WAARDE 106	

MC 150013 HH SP
MCS MC1513
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 100052 SP
MCS MC1052
Oud. 15j | OEK 33m | TKP -
Kalwers 11 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG - | KKS -
Kalwings: 13-03, 14-03, 15-09,
16-11, 17-12, 19-01, 19-11, 21-01,
21-12, 23-03, 24-03

MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 93

MC 120044 SP
MCS MC1244
Oud. 14j | OEK - | TKP 398d
Kalwers 11 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

EP 040006 SP
EMBRIO PLUS EP 04 06
Spn Mat. 102

CFH 070463 C
ELANDSPRUIT CFH070463
Oud. 11j | OEK 32m | TKP (donor)
Kalwers 7 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG - | KKS -

CB04507A
CHULU CB04507A
GF020129W SP
GRASMERE GF02129W
Oud. 23j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
M 080013 SP
MCS M0813
Oud. 4j | Gem. SI -
Kalwers - | Geweeg -
2812 PBD
GIANNI 2812
Z7F567 PBD
KE WORAGUS 567
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
B 030028 SP
BORGEN B 03 28
TLM 010029 B
KETA TLM 01 29
Oud. 13j | Gem. SI -
Kalwers 4 | Geweeg -



EBV Analise 2026-06-02

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	114	97	86	98	89	103	111
47%	48%	44%	42%	31%	41%	23%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	94	96	79	94	96	97	101	121
26%	29%	10%	44%	31%	28%	25%	27%	25%

VERKOPER OPMERKINGS: 4 mnde in kalf van MC20-29

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik